

# On the Consistency of Distributed Proofs with Hidden Subtrees

ADAM J. LEE

University of Pittsburgh

and

KAZUHIRO MINAMI and MARIANNE WINSLETT

University of Illinois at Urbana-Champaign

---

Previous work has shown that distributed authorization systems that fail to sample a consistent snapshot of the underlying system during policy evaluation are vulnerable to a number of attacks. Unfortunately, the consistency enforcement solutions presented in previous work were designed for systems in which only CA-certified evidence is used during the decision-making process, all of which is available to the decision-making node at runtime. In this article, we generalize previous results and present light-weight mechanisms through which consistency constraints can be enforced in proof systems in which the full details of a proof may be unavailable to the querier due to information release policies, and the existence of certificate authorities for certifying evidence is unlikely; these types of distributed proof systems are likely candidates for use in pervasive computing and sensor network environments. We present modifications to one such distributed proof system that enable three types of consistency constraints to be enforced while still respecting the same confidentiality and integrity policies as the original proof system. We then discuss how these techniques can be adapted and applied to other, less restrictive, distributed proof systems. Further, we detail a performance analysis that illustrates the modest overheads of our consistency enforcement schemes.

Categories and Subject Descriptors: C.2.4 [**Distributed Systems**]: Distributed Applications; D.4.6 [**Operating Systems**]: Security and Protection—*Access controls, authentication*; K.6.5 [**Management of Computing and Information Systems**]: Security and Protection

General Terms: Security

Additional Key Words and Phrases: Consistency, distributed proving, pervasive computing

---

Lee and Winslett were supported in part by the NSF under grants IIS-0331707, CNS-0325951, and CNS-0524695 and by Sandia National Laboratories under grant DOE SNL 541065. Minami was supported by the Office of Science and Technology at the Department of Homeland Security. Points of view in this document are those of the author(s) and do not necessarily represent the official position of the U.S. Department of Homeland Security or the Office of Science and Technology.

A preliminary version of this article appears in *Proceedings of the 12th ACM Symposium on Access Control Models and Technologies* [Lee et al. 2007].

Author's address: A. J. Lee, Department of Computer Science, University of Pittsburgh, 210 S. Bouquet St., Pittsburgh, PA 15260; email: adamlee@cs.pitt.edu.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies show this notice on the first page or initial screen of a display along with the full citation. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, to republish, to post on servers, to redistribute to lists, or to use any component of this work in other works requires prior specific permission and/or a fee. Permissions may be requested from Publications Dept., ACM, Inc., 2 Penn Plaza, Suite 701, New York, NY 10121-0701 USA, fax +1 (212) 869-0481, or [permissions@acm.org](mailto:permissions@acm.org).  
© 2010 ACM 1094-9224/2010/07-ART25 \$10.00  
DOI 10.1145/1805974.1805981 <http://doi.acm.org/10.1145/1805974.1805981>

**ACM Reference Format:**

Lee, A. J., Minami, K., and Winslett, M. 2010. On the consistency of distributed proofs with hidden subtrees. *ACM Trans. Info. Syst. Sec.* 13, 3, Article 25 (July 2010), 32 pages.  
DOI = 10.1145/1805974.1805981 <http://doi.acm.org/10.1145/1805974.1805981>

---

## 1. INTRODUCTION

The process of making informed authorization decisions in dynamic environments where trust relationships cannot be determined a priori is widely accepted as a difficult task. This is particularly true in context-rich environments, such as pervasive computing spaces, as the set of permissible actions may depend on the physical context of the space. This context can be sampled through the use of sensors deployed throughout the environment. To address this complexity, several rule-based systems have been designed for specifying and checking authorization policies in pervasive computing environments (e.g., see Al-Muhtadi et al. [2003], Bacon et al. [2002], Covington et al. [2001], and Myles et al. [2003]). Recently, frameworks for constructing and validating *distributed* proofs have been proposed to address the limitations of using centralized knowledge bases for making authorization decisions [Bauer et al. 2005; Minami and Kotz 2005; Winslett et al. 2005].

In authorization systems based on distributed proving, resource access requests are permitted if a resource owner can construct a well-formed proof tree whose root is a logical statement granting the requester access to the resource. The topology of a proof tree shows the logical dependencies among the facts in the tree; that is, the leaves of this tree represent base facts, while intermediate nodes represent inferences made using these facts. Such a proof tree need not be formed solely from facts in the resource owner's local knowledge base; subtrees of a proof may be produced by other entities in the network provided that the resource owner trusts the integrity of information provided by these entities (e.g., see Bauer et al. [2005], Minami and Kotz [2005], and Winslett et al. [2005]). In some systems, information release policies may prevent portions of a subproof from being revealed to certain nodes in the proof tree [Minami and Kotz 2005]. An important observation is that the logical leaves of a distributed proof tree form one possible *view* of the state of the environment in which the proof was constructed. Resource access is granted because, in that view of the system, it was possible to construct a proof tree justifying the access request. If the facts making up a proof tree represent stable assertions (i.e., facts whose validity will not change), then this view is actually a snapshot of the system and the semantics of policy satisfaction remain the same as in centralized proof systems. However, if any facts in the proof tree are not constant, then in some circumstances, it is possible to form a proof tree justifying access to a particular resource that would have been denied in any centralized system. That is, an inconsistent view can lead a prover to think that certain logical facts were true simultaneously when, in fact, they were not. Clearly, this can lead to the permission of undesirable accesses to system resources.

For example, consider a hospital wired with sensors such as occupancy detectors, location tracking devices, and door lock sensors. Now, a clinician, Alice,

decides to use the projector located in her office to review the medical records of several patients that she is working with. In order for the system to permit the use of the projector to view medical records, it must be the case that the occupancy of Alice's office is one, Alice is located in her office, and the door to her office is locked. When Alice requests this access, the system might first check that the occupancy of her office is one and then proceed to check that Alice is currently located in her office. As this check is being made, Bob enters the room and closes the door behind him, which automatically locks. The system determines that Alice is located in her office and then checks that the door is locked; since the door is locked, the medical records are displayed on the projector. This is a clear violation of the policy protecting patient records that might have legal ramifications, as Bob may not be authorized to view the records being projected. In addition to this type of accidental violation of system view consistency, intentional attacks on the system are also possible. As a result, we cannot simply assume that distributed proof protocols sample a consistent system state, we must *ensure* that this occurs by developing algorithms that enforce this type of constraint.

The adverse effects of inconsistent views on authorization systems has been examined previously by Lee and Winslett [2006, 2008]. In this article, the authors focus on studying the properties of systems in which all attestations used during proof construction were encoded in certificates issued by one or more trusted certificate authorities (CAs). The solutions for enforcing the use of consistent states presented in this work rely on the timing and sequencing of checks for certificate revocation that can be made using protocols such as OCSP [Myers et al. 1999] or COCA [Zhou et al. 2002]. Unfortunately, these solutions cannot be used in proof construction frameworks that rely on simple digital signatures or keyed MACs to authenticate proof facts, including many of those designed to be used in pervasive computing or sensor network environments.

In this article, we build on the results presented by Lee and Winslett [2006, 2008] and show how to ensure that distributed proofs constructed using these more general forms of trusted information can be formed by sampling consistent system states without impeding on the autonomy of nodes in the system (e.g., by requiring participation in a wide-scale transaction-management protocol). Further, we present solutions to the consistency problem that work even if some details of a proof tree are hidden from the query issuer by information flow policies; for comparison, the solutions presented by Lee and Winslett assumed that the policy evaluator had complete knowledge of the proof tree formed during the protocol. Although we focus our presentation on authorization systems based on distributed proving, the techniques described in this article are applicable to any system in which autonomous entities wish to leverage decentralized information to make decisions in a potentially adversarial environment.

The rest of this article is organized as follows. In Section 2, we overview background material regarding the distributed proof construction protocol that we will modify to enforce view consistency constraints. Section 3 formally defines our system model and the levels of view consistency that we wish to enforce in this article. In Section 4, we present modifications to an existing distributed




Fig. 1. Structure of an authorization server.

proof construction protocol to enable the use of three types of consistent views when making authorization decisions. Further, we present proofs that the security and privacy properties of the underlying proof system have not been altered by our modifications. We quantitatively evaluate the performance impact of our consistency enforcement schemes in Section 5 and review related work in Section 6. We then present our conclusions in Section 7.

## 2. BACKGROUND

In this section, we discuss the distributed proof construction protocol presented by Minami and Kotz [2005], as later sections of this article focus on modifying this protocol to ensure that authorization decisions are made using consistent states. Unfortunately, space limitations prevent us from presenting this proof system in its entirety, so we instead present several examples that illustrate the key features of this system; interested readers can refer to Minami and Kotz [2005] for a more in-depth treatment of this proof construction system.

We chose to explore the consistency problem within the context of this protocol because it allows portions of a proof tree to be hidden from certain entities participating in the construction of the proof—including the node issuing the query—whereas most other distributed proof frameworks assume that the querying node gathers all supporting evidence locally, prior to making a decision. This is significant, as the ability to construct proofs with hidden subtrees implies that the derivation rules in each entity’s knowledge base can remain private, rather than being disclosed to other parties during the construction of a proof. This allows each principal to limit the release of potentially sensitive data to a greater degree than is possible in other proof systems. However, as we will see in Section 4.5, the techniques developed in this article for use in the Minami-Kotz proof construction system can also be simplified and applied to other distributed proof systems with less-restrictive properties.

### 2.1 Structure of the Authorization Server

Figure 1 shows the structure of an authorization server consisting of a knowledge base and an inference engine. The knowledge base stores both authorization policies (represented as Datalog rules) and facts including context information. For instance, the rule  $grant(P) :- role(P, doctor), location(P, hospital)$  grants a principal  $P$  access to a resource if he or she is located in the hospital




Fig. 2. Sample proof tree.

and is a doctor. The context server publishes context events and updates facts in the knowledge base dynamically. The inference engine receives authorization queries from remote servers, such as resource servers processing users' access requests. The inference engine then attempts to derive logical proofs justifying these queries using the facts in its local knowledge base and possibly even interactions with remote parties. Figure 2 could be constructed based on the aforementioned rule. If the inference engine cannot construct a proof, it returns a proof that contains a false value. In the open environment of pervasive computing, each server could belong to a different administrative domain.

## 2.2 Proof Decomposition

Multiple authorization servers in different administrative domains can cooperate to handle authorization queries in a peer-to-peer manner. These peer-to-peer interactions are guided by each entity's integrity policies, which specify sets of entities trusted to handle particular types of queries. For example, if Alice specifies the integrity policy  $\text{trust}(\text{location}(P, L)) = \{\text{Bob}\}$ , then she trusts Bob to accurately answer queries regarding the location of other entities. In the most basic case, the principal who issues a query trusts the principal who handles this query in terms of the integrity of the query result. As such, the handler principal need not disclose the entire proof tree that she generates, she needs only to return a proof that states whether the fact in the query was true. In general, however, the querier may not completely trust the query handler and thus her integrity policies might place constraints on the rules used by the handler to generate the proof tree. In this case, a more complete proof tree, whose intermediate nodes are digitally signed, would need to be returned by the handler. This way, the querier can verify that her integrity policies were respected.

Figure 3 describes one possible collaboration between a querier and handler. Suppose that host *A* run by principal Alice, who owns a projector, receives an authorization query  $?grant(\text{Dave}, \text{projector})$  that asks whether Dave is granted access to that projector. Since Alice's authorization policy in her knowledge base refers to a requester's location (i.e.,  $\text{location}(P, \text{room}112)$ ), Alice issues a query  $?location(\text{Dave}, \text{room}112)$  to host *B* run by Bob. Alice chooses Bob, because Bob satisfies Alice's integrity policies for queries of the type  $\text{location}(P, L)$ . Bob processes the query from Alice, because Alice satisfies Bob's confidentiality policies for queries of the type  $\text{location}(P, L)$  as defined in Bob's policy  $\text{acl}(\text{location}(P, L)) = \{\text{Alice}\}$ . Bob derives the fact that Dave is in *room112* from the location of his device using the facts  $\text{location}(\text{pda}15, \text{room}112)$  and  $\text{owner}(\text{Bob}, \text{pda}15)$ . However, he only needs to return a proof that contains a




Fig. 3. Remote query between two principals. Alice is a principal who maintains a projector, and Bob is a principal who runs a location server.




Fig. 4. Enforcement of confidentiality policies. The first item in a proof tuple is a receiver principal, and the second item is a proof tree encrypted with the receiver’s public key.

single root node that states that  $location(Dave, room112)$  is true because Alice believes Bob’s statement about people’s location (i.e.,  $location(P, L)$ ) according to her integrity policies. The proof of the query is thus decomposed into two subproofs maintained by Alice and Bob.

### 2.3 Enforcement of Confidentiality Policies

Each fact provider maintains a set of confidentiality policies that determine which entities are authorized to receive the facts that she provides. These policies are enforced by encrypting a query result (along with a querier-provided nonce to ensure freshness) using the public key of an authorized receiver.<sup>1</sup> Each query is accompanied by a list of upstream principals who could possibly receive the answer of the query; this enables the handler to choose an authorized recipient from the list of upstream principals that satisfies her confidentiality policies. It is, therefore, possible to obtain an answer for some initial query even when some number of intermediate principals in the distributed proof do not satisfy the confidentiality policies of a fact provider. Figure 4 shows an

<sup>1</sup>For efficiency, the implemented system uses a hybrid encryption scheme in which a principal’s public key is used to set up a shared symmetric key used for encryption.

example collaboration among principals  $p_0$ ,  $p_1$ ,  $p_2$ , and  $p_3$ . When principal  $p_0$  issues an authorization query  $q_0$  to principal  $p_1$ ,  $p_1$  issues a subsequent query  $q_1$ , which causes principal  $p_2$ 's queries  $q_2$  and  $q_3$ . Since a receiver principal of a proof might not be a principal who issues a query, a reply for a query is a tuple  $(p_i, (pf)_{K_i})$ , where  $p_i$  is an identity of a receiver principal and  $(pf)_{K_i}$  is an encrypted proof with the receiver's public key. We associate a receiver principal identity with an encrypted proof so that a principal who receives an encrypted fact can decide whether to attempt to decrypt that encrypted fact. We assume that, in this example, each principal who issues a query trusts the integrity of the principal who receives that query in terms of the correctness of whether the fact in the query is true or not. For example,  $p_0$ 's integrity policies contain a policy  $trust(q_0) = \{p_1\}$ .

Suppose that query  $q_1$ 's result (i.e., true or false) depends on the results of queries  $q_2$  and  $q_3$ , which are handled by principals  $p_3$  and  $p_4$ , respectively, and that  $p_3$  and  $p_4$  choose principals  $p_0$  and  $p_1$ , respectively, as receivers, since  $p_2$  does not satisfy their confidentiality policies. Because principal  $p_2$  cannot decrypt the results from principals  $p_3$  and  $p_4$ ,  $p_2$  encrypts those results with the public key of principal  $p_1$ , which  $p_2$  chose as a receiver. Principal  $p_2$  forwards the encrypted results from  $p_3$  and  $p_4$  because the query result of  $q_1$  is the conjunction of those results. Principal  $p_1$  decrypts the encrypted result from  $p_2$  and obtains the encrypted results originally sent from principals  $p_3$  and  $p_4$ . Since  $p_1$  is a receiver of the proof from  $p_4$ ,  $p_1$  decrypts the proof that contains a true value. Since a query result for  $q_0$  depends on the encrypted proof from  $p_3$ , principal  $p_1$  forwards it in the same way. The principal  $p_0$  finally decrypts it and obtains an answer for query  $q_0$ . The key observation here is that principal  $p_0$  is not aware of the fact that the query result is originally produced by principal  $p_3$ .

### 3. DEFINITIONS

We begin this section by describing the system model within which the Minami-Kotz distributed proof construction protocol discussed in Section 2 was designed to be used. We then show that existing solutions to the view consistency problem are not applicable due to fundamental differences between system models. Lastly, we formally define the view consistency problem within the context of our system model and present the definitions of four important view consistency levels.

#### 3.1 System Model

Distributed proof construction protocols were designed to be used in open-system environments consisting of a possibly infinite set of autonomous entities,  $\mathcal{E}$ . Each entity  $e \in \mathcal{E}$  possesses one or more public key certificates that can be used to authenticate messages signed by  $e$  or to encrypt messages that are to be sent to  $e$ . These certificates are made publicly available by one or more key servers or through the use of decentralized peer-to-peer protocols. Without loss of generality, we will assume that each node uses only one public key certificate during the construction of any single distributed proof. We place no limitations

on the temporal duration of executions of the proof construction protocol, nor do we assume any level of clock synchronization exists between entities in  $\mathcal{E}$ .

All evidence used during the construction of a distributed proof takes the form of assertions signed with the providing entity's private key. As was described in Section 2, the proof construction process is assumed to be policy directed. Each entity maintains a collection of integrity policies that indicate which other entities are trusted to answer different types of queries; adherence to these integrity policies can be checked by verifying the signatures on responses to any issued subqueries. Each entity  $e$  also maintains a collection of confidentiality policies that control the release of subproofs generated by  $e$ . This interplay between integrity policies and confidentiality policies implies that the complete details of a proof tree may not be available to entities in the system. In particular, the querying entity will not learn any details of the proof tree beyond those specified by his or her integrity policies. Further, intermediate nodes in a proof tree may not learn whether the proof construction protocol was successful, as the results of subqueries issued by these nodes may be hidden from them by the query target's confidentiality policies (see Section 2.3 for an example of this behavior). These assumptions imply that the view consistency solutions developed by Lee and Winslett [2006, 2008] cannot be used in this environment.

### 3.2 Problem Definition

As observed in Section 1, the use of inconsistent views of a system during policy evaluation can lead to situations in which a policy evaluator believes that certain facts held true simultaneously when, in fact, they did not. We now more precisely define this problem.

*Definition 1 (Validity).* An entity  $e$  can determine that some proof fact  $f$  is *valid* at time  $t$  if either (i)  $f$  is in  $e$ 's local knowledge base at time  $t$ , or (ii)  $f$  is considered valid at time  $t$  by a remote entity who is trusted to provide information regarding  $f$ .

Note that asserting the validity of some fact  $f$  at a particular time  $t$  by invoking case (ii) of the aforementioned definition is not a straightforward task. Consider the case where some entity  $e$  issues a query for fact  $f$  to another entity  $e'$  at time  $t_{iss}$ . Due to delays in the network and processing delays at  $e$  and  $e'$ , it is likely that  $e'$  will not receive the query until some time  $t' > t_{iss}$ . Similarly,  $e$  is unlikely to receive  $e'$ 's response to his query until some time  $t_{rcv} > t'$ . Therefore,  $e$  cannot conclude that  $f$  was valid at either  $t_{iss}$  or  $t_{rcv}$ ; he can only infer that  $f$  was valid at some time  $t$  where  $t_{iss} \leq t \leq t_{rcv}$ ; we will discuss methods for fine-tuning these types of inferences later in the article. As facts are collected and validated, an entity builds a *view* of the system that will be used to construct a proof of authorization.

*Definition 2 (Fuzzy Validity Interval).* The interval  $[t_s, t_e]$  is a *fuzzy validity interval* for some fact  $f$  if  $f$  can be shown to be valid at some (possibly unknown) time  $t$  such that  $t_s \leq t \leq t_e$ .

*Definition 3 (Concrete Validity Interval).* The interval  $[t_s, t_e]$  is a *concrete validity interval* for some fact  $f$  if  $f$  can be shown to be valid at all times  $t$  such that  $t_s \leq t \leq t_e$ .

*Definition 4 (Fact State).* Let the set  $t$  contain all possible timestamps, let  $\perp$  denote the null value, and let  $\ell$  be a predefined length parameter. The *fact state* for a fact  $f$  as observed by some entity is then denoted by the 5-tuple  $s = \langle id, e, t_\alpha, t_\omega, fuzzy \rangle \in \{0, 1\}^\ell \times \mathcal{E} \times T \cup \{\perp\} \times T \cup \{\perp\} \times \mathbb{B}$ . The value  $id$  is an  $\ell$ -bit identifier assigned to the fact  $f$  (which may simply be an encoding of that fact),  $e$  identifies the entity from which  $f$  was obtained,  $t_\alpha$  and  $t_\omega$  are local timestamps, and  $fuzzy$  is a Boolean value indicating whether  $[t_\alpha, t_\omega]$  specifies a fuzzy ( $fuzzy = \text{true}$ ) or concrete ( $fuzzy = \text{false}$ ) validity interval. The set of all possible fact state tuples is denoted by  $\mathcal{S}$ .

Entities in the system create fact state tuples as the validity of certain facts is revealed during the execution of the distributed proof protocol. In the remainder of this article, we will use dot notation to access the fields of fact state tuples. For instance  $s.id$  represents the identifier of the fact whose state is stored in  $s$ . Note that if given a fact state tuple  $s$  for a fact  $f$  has either of its  $s.t_\alpha$  or  $s.t_\omega$  fields set to  $\perp$ , then no conclusions can be drawn about the validity status of  $f$ .

*Definition 5 (View).* A *view* is any collection of fact state tuples that has no more than one tuple for any  $(id, e)$  pair.

We have now defined an entity  $e$ 's view of the system as some collection of local observations that  $e$  has made regarding the validity of certain facts. Given that any such view contains only local observations, it is unlikely to capture a precise snapshot of the system state. As such, the consistency level of these views is of the utmost importance. Although such a view may contain data associated with any number of facts, unless noted otherwise, we assume without loss of generality that an entity  $e$  will only wish to enforce consistency constraints on views comprised of facts associated with a single distributed proof.

*Definition 6 (View Consistency).* A view  $V$  is said to be  $\phi$ -consistent if and only if  $V$  satisfies some predicate  $\phi$  that places temporal constraints on the observed validity intervals of the facts whose state data are stored in  $V$ .

### 3.3 Levels of Consistency

We now describe four increasingly stringent levels of view consistency relevant to distributed proof construction protocols for use in the system model described in Section 3.1. We then discuss a fourth view consistency level designed specifically for use in pervasive computing environments.

**3.3.1 Incremental Consistency.** The most basic definition of view consistency that one can imagine is what we will refer to as *incremental consistency*. Intuitively, an incrementally consistent view is a view in which each fact was valid at some point during the construction of the related proof tree. To

formally define the notion of incremental consistency, we first define the predicates  $checked : \mathcal{S} \rightarrow \mathbb{B}$ ,  $fuzzy : \mathcal{S} \rightarrow \mathbb{B}$ , and  $concrete : \mathcal{S} \rightarrow \mathbb{B}$ .

$$checked(s) \equiv (s.t_\alpha \neq \perp) \wedge (s.t_\omega \neq \perp) \wedge (s.t_\alpha \leq s.t_\omega) \quad (1)$$

$$fuzzy(s) \equiv checked(s) \wedge s.fuzzy \quad (2)$$

$$concrete(s) \equiv checked(s) \wedge \neg s.fuzzy \quad (3)$$

The predicate  $checked(s)$  ensures that the fact state tuple  $s$  contains a fully defined validity interval. The  $fuzzy(s)$  predicate is true if and only if  $s$  encodes a fully defined fuzzy validity interval;  $concrete(s)$  is true if and only if  $s$  encodes a fully defined concrete validity interval. Given these predicates, we can now formally define the notion of incremental consistency for distributed proof systems via the predicate  $\phi_{inc} : 2^{\mathcal{S}} \times T \times T \rightarrow \mathbb{B}$  as follows.

$$\begin{aligned} \phi_{inc}(V, t_s, t_e) \equiv & \forall s \in V : checked(s) \quad (4) \\ & \wedge (fuzzy(s) \rightarrow ((t_s \leq s.t_\alpha) \wedge (s.t_\omega \leq t_e))) \\ & \wedge (concrete(s) \rightarrow ((s.t_\alpha \leq t_s \leq s.t_\omega) \vee (s.t_\alpha \leq t_e \leq s.t_\omega))) \end{aligned}$$

The predicate  $\phi_{inc}$ —which is a reformulation of the predicate  $\phi_{inc}$  defined by Lee and Winslett [2006, 2008]—is satisfied by a view  $V$  during some interval  $[t_s, t_e]$  if and only if each fact state tuple in the view contains a fully specified validity interval, each fuzzy validity interval is a subinterval of  $[t_s, t_e]$ , and each concrete validity interval overlaps  $[t_s, t_e]$  at some point. This gives us the following definition for an incrementally consistent proof construction and an associated theorem.

*Definition 7 (Incremental Consistency).* A view  $V$  generated between the time that a given query was issued,  $t_{iss}$ , and the time that the completed proof tree was received by the issuer,  $t_{rcv}$ , is *incrementally consistent* if and only if  $\phi_{inc}(V, t_{iss}, t_{rcv})$  is true.

**THEOREM 1.** *The Minami-Kotz distributed proof construction protocol always uses incrementally consistent views when evaluating authorization policies.*

**PROOF.** Assume that the distributed proof construction algorithm succeeds in constructing a proof tree using a view that is not incrementally consistent. This implies that there exists some fact  $f$  that was not true at any point during execution of the proof construction protocol. This means that the validity status for  $f$  (which must be true for the proof to succeed) was contributed to the proof tree before the proof construction process was started or, equivalently, was a replayed validity status from an earlier execution of the protocol. However, each validity status returned by a fact provider is causally-linked to the query executed by a querier-provided nonce (see Minami and Kotz [2005]), which prevents both the incorporation of old validity information and replay attacks. This implies that  $f$  was valid during the protocol execution, which is a contradiction.  $\square$

The fact that existing distributed proof construction protocols use incrementally consistent views when making authorization decisions is exactly what

leads to the types of safety violations discussed in Section 1. This is because incremental consistency provides no guarantees regarding the overlap of the observed validity periods for facts whose state is stored in  $V$  in the event that any fact used during the proof construction is not a stable assertion. The other consistency levels defined in this section will address this problem.

**3.3.2 Query Consistency.** The next more stringent level of consistency that we define is query consistency. Informally, this consistency level guarantees that all facts used to construct a distributed proof were valid simultaneously at the time that the query triggering that proof construction was issued. We formally define query consistency in terms of the predicate  $\phi_{query} : 2^S \times T \rightarrow \mathbb{B}$ , as follows.

$$\phi_{query}(V, t_{iss}) \equiv \forall s \in V : \text{concrete}(s) \wedge (s.t_\alpha \leq t_{iss} \leq s.t_\omega) \quad (5)$$

*Definition 8 (Query Consistency).* A view  $V$  is *query consistent* with respect to a query issued at time  $t_{iss}$  if and only if  $\phi_{query}(V, t_{iss})$  is true.

If an authorization policy is satisfied using a query-consistent view, the semantics of policy satisfaction in the distributed proof construction setting remain the same as if the proof had been constructed using a centralized proof framework supporting transactional evaluation (e.g., a Prolog theorem prover). In the event that any facts necessary to construct a given proof of authorization are unstable (i.e., their value can change once set), a view consistency level that is at least as strong as query consistency should be enforced to ensure that the satisfaction of a given authorization policy carries the same meaning as policy writers and analysts would expect it to have.

Note that although query consistency provides a formal guarantee that each fact in a query was simultaneously true, this can still be insufficient in some cases. Consider, for example, the scenario presented in Section 1 in which Alice attempts to display medical records using the projector in her office. At the beginning of this protocol execution, each fact protecting Alice’s access to the projector was simultaneously true, which means that her view of the proof system was query consistent. However, permitting this access is problematic, as discussed in Section 1, since the “spirit” of the policy is violated by Bob’s presence in the room at the end of the protocol. This motivates our next, more stringent, level of view consistency.

**3.3.3 Interval Consistency.** The most stringent consistency level that we consider in this article is interval consistency. We say that some view  $V$  is interval consistent during some interval  $[t_s, t_e]$  if each fact state tuple in  $V$  encodes a concrete validity interval that includes at least  $[t_s, t_e]$ . More formally, we define interval consistency using the predicate  $\phi_{interval} : 2^S \times T \times T \rightarrow \mathbb{B}$ , as follows.

$$\phi_{interval}(V, t_s, t_e) \equiv \forall s \in V : \text{concrete}(s) \wedge (s.t_\alpha \leq t_s \leq t_e \leq s.t_\omega) \quad (6)$$

*Definition 9 (Interval Consistency).* A view  $V$  is *interval consistent* for a time interval  $[t_s, t_e]$  if and only if  $\phi_{interval}(V, t_s, t_e)$  is true.

The preceding definition of interval consistency is a reformulation definition of interval consistency presented by Lee and Winslett [2006, 2008], altered to fit within the formalization of the consistency problem presented in Section 3.2. In distributed proving, the notion of interval consistency is useful for two primary reasons. First and foremost, interval consistency is important in the event that a resource provider wishes to monitor the conditions that lead to the permission of a given resource access. For instance, the hospital smart room discussed in Section 1 may wish to first check that Alice is the only person located in her locked office before allowing her to project patient records onto the wall and then continue to monitor these conditions. If her door subsequently became unlocked, for instance, access to the projector could be revoked. By ensuring that all facts protecting Alice’s access to the projector are true throughout the duration of the protocol, we are guaranteed that the policy is satisfied at the moment that access is granted.

At the implementation level, interval consistency can also be useful in the event that a proof tree is constructed that permits access to a given resource, but that view cannot be shown to be query consistent. The fact that a proof could be formed at all implies that it is possible that the facts that make up the proof were valid simultaneously, even though this could not be guaranteed from the view used to construct the proof. If it is faster to recheck a proof than it would be to generate the proof tree again, then this recheck could lead to an interval-consistent view during the interval  $[t_{rcv}, t_{recheck}]$ , where  $t_{rcv}$  is the time that the original proof was returned to the resource provider and  $t_{recheck}$  is the time at which the resource provider begins revalidation of the proof tree. We will explore this case further in Section 4.3.

**3.3.4 Sliding Windows of Consistency.** Although powerful, the notion of interval consistency defined above may be too strong in some circumstances. For example, in pervasive computing environments with rapid contextual changes, fact validity statuses may fluctuate often around some acceptable baseline; this could lead to situations in which views were repeatedly determined to be inconsistent and cause numerous service interruptions (e.g., consider a policy that is in some way predicated on the number of occupants in a busy hallway). Rather than falling back on the notion of query consistency, which provides no continuing validity checks, entities may wish to enforce a level of view consistency that provides guarantees somewhere between what is afforded by the query and interval consistency levels.

As one interesting example, a service provider might wish to enforce the constraint that at each time  $t$ , all facts used to justify resource access must have been simultaneously valid at some time  $t'$  such that  $t - \Delta \leq t' \leq t$ , where  $\Delta$  is the length of a sliding window defined by the service provider. More formally, we define this notion of sliding windows of consistency using the predicate  $\phi_{sliding} : 2^S \times T \times T \times \mathbb{N} \rightarrow \mathbb{B}$  as follows:

$$\begin{aligned} \phi_{sliding}(V, t_s, t_e, \Delta) \equiv & \forall t \in [t_s, t_e] \exists t' \in [t - \Delta, t] \text{ such that} & (7) \\ & \forall s \in V_{t'} : \text{concrete}(s) \wedge (s.t_\alpha \leq t' \leq s.t_\omega) \end{aligned}$$

*Definition 10 (Sliding Window Consistency).* A view  $V$  is *sliding window consistent* for a time interval  $[t_s, t_e]$  and a window size  $\Delta$  if and only if the predicate  $\phi_{sliding}(V, t_s, t_e, \Delta)$  is true.

Note that the notion of sliding window consistency is only useful in situations where the validity of the facts being monitored in a particular view change over time. As a result, sliding window consistency is not a property of a single view but is rather a property of a *series* of views representing the observed fluctuations of a set of facts. The definition of Equation 7 reflects this by introducing the notion of a *subscripted view*. The view  $V_t$  used in this definition refers to the instance of the view  $V$  containing information about fact validity statuses at the time  $t$ . In Section 4.4, we will see that the algorithm used to enforce this notion of view consistency requires periodic evaluation of intermediate conditions, which is a reflection of this notion of evolving views.

#### 4. ALGORITHM DETAILS

In this section, we discuss modifications to the Minami-Kotz distributed proof construction algorithm that ensure the use of consistent system views during policy evaluation. As this algorithm trivially ensures that an incrementally consistent view is used (by Theorem 1), we will focus our discussion on creating query-, interval-, and sliding window-consistent views. We then comment on how these algorithms could be adapted for use in other, less restrictive, distributed proof systems.

##### 4.1 Preliminaries

In this section, we will be concerned with both the correctness and security properties of our proposed proof construction algorithm modifications. In addition to proving the soundness of our consistency enforcement algorithms, we will also address their proximity to ideal completeness. A  $\phi$ -consistency enforcement algorithm is said to be ideally complete if and only if it is capable of constructing  $\phi$ -consistent views for all protocol executions in which an ideal algorithm run by an omniscient entity could construct a  $\phi$ -consistent view [Lee and Winslett 2006]. Further, we will ensure that each proposed modification is a policy-safe modification to the proof construction protocol. That is, we will show that our modifications do not violate the integrity or confidentiality policies specified by each entity.

##### 4.2 Query Consistency

We now show that with relatively minor changes, the Minami-Kotz distributed proof construction protocol can be modified to use query-consistent views when making authorization decisions. As presented by Minami and Kotz [2005], this proof construction algorithm assumes that each knowledge base  $KB$  is defined as a subset of all possible facts,  $\mathcal{F}$ . Rather, we will define a knowledge base  $KB$  as a subset of  $\mathcal{F} \times T$  in which each fact is associated with the local time at which it was inserted into  $KB$ . This allows each node to track the duration of a given fact's validity locally.

**Algorithm 1.** A query consistency enforcement algorithm

---

```

1: // Receive a fact response tuple relevant to a query issued at time  $t_{iss}$ 
2: // from some entity  $e$ . Only invoked on true facts.
3: Function RcvFACT( $f \in \mathcal{F}, d \in \mathbb{N}, e \in \mathcal{E}, t_{iss} \in T, V \in 2^S$ )
4:  $t_{rcv} \leftarrow NOW$ 
5: if  $t_{rcv} - t_{iss} \leq d(1 - \delta)$  then
6:    $V.insert(ENCODE(f), e, t_{iss}, t_{iss}, false)$ 
7: else
8:    $V.insert(ENCODE(f), e, t_{iss}, NOW, true)$ 
9:
10: // Check the query consistency condition on a view  $V$  relative
11: // to a query issued at time  $t_{iss}$ .
12: Function CHECKQUERY( $V \in 2^S, t_{iss} \in T$ )
13: for all  $s \in V$  do
14:   if  $s.fuzzy \vee (t_{iss} < s.t_\alpha) \vee (s.t_\omega < t_{iss})$  then
15:     return false
16: return true

```

---

To leverage this new knowledge-base format, the format of query responses must also be altered. Rather than an entity  $e$  responding to some query  $?f$  with a Boolean response  $b \in \mathbb{B}$  indicating whether  $f$  is considered valid by  $e$  (as in Section 2), they will instead respond with a fact response tuple of the form  $\langle b, d \rangle \in \mathbb{B} \times \mathbb{N}$ . The  $b$  component of this tuple indicates whether  $e$  considers  $f$  to be valid, as before, and the  $d$  component of this tuple represents the length of time that  $e$  acknowledges that  $f$  has been true, or some duration less than this if the exact duration of validity is considered sensitive. In the event that  $f$  is a base atom,  $d$  is (at most) the difference between the current time and the time associated with  $f$  in  $e$ 's knowledge base; if  $f$  is the head of a Horn clause  $f :- f_1, \dots, f_n$ , then  $d$  is set to be (at most) the minimum such duration associated with any of  $f_1, \dots, f_n$ . In the case that  $f$  is false,  $d$  is set to 0. Note that neither  $f$  nor any  $f_1, \dots, f_n$  need to be locally stored facts.

Given the previously mentioned modifications to the formats of entities' knowledge bases and query responses, we now present the details of Algorithm 1, which facilitates the creation of query-consistent views. In Algorithm 1 and all other algorithms presented in this article, we make the following assumptions regarding the local data structures accessible by entities in the system.

- The current local time is available via the local variable *NOW*.
- The absolute value of the maximum clock drift rate between any two entities in the system is no more than some constant  $\delta$ . This does not imply that clocks are in any way synchronized, only that for each  $n$  time units that pass one entity, no less than  $n(1 - \delta)$  time units and no more than  $n(1 + \delta)$  time units pass at any other entity.
- Fact state tuples can be inserted into a view data structure via the function  $insert : \{0, 1\}^\ell \times \mathcal{E} \times T \times T \times \mathbb{B} \rightarrow \perp$ . Note, for instance, that  $V.insert(id, e, t, t', b)$

will replace any existing fact state tuples in  $V$  that have the identifier  $id$  and were received from entity  $e$  (see Definition 5).

—The function  $\text{ENCODE} : \mathcal{F} \rightarrow \{0, 1\}^\ell$  returns an encoding of some fact  $f \in \mathcal{F}$  suitable for insertion into a view (see Definition 4).

Algorithm 1 consists of two functions that are to be used by the querying entity. Whenever the querier issues a new query, she records the query issue time  $t_{iss}$  and chooses a view  $V$  to which the results of her query are considered relevant;  $V$  need not be a new empty view. In the event that the response to her query is true, Alice invokes the  $\text{RCVFACT}$  function. If the fact provider attests that the fact whose status was queried was valid for some duration  $d$  that is longer than the time between when the query was issued and when its response was received, this function inserts a fact state tuple into  $V$  asserting that the corresponding fact was valid at time  $t_{iss}$ . Otherwise, a fact state tuple encoding a fuzzy interval is inserted into  $V$ . The function  $\text{CHECKQUERY}$  checks to see that  $\phi_{query}$  is true, as defined by Equation 5.

**THEOREM 2.** *If the function  $\text{CHECKQUERY}(V, t_{iss})$  returns true, then  $V$  is query consistent relative to the query issue time  $t_{iss}$ , provided that  $V$  was constructed using only the  $\text{RCVFACT}$  function.*

**PROOF.** The  $\text{CHECKQUERY}$  function clearly enforces the constraint that all fact state records encode concrete validity intervals that include the time  $t_{iss}$ . Thus,  $\text{CHECKQUERY}(V, t_{iss}) \leftrightarrow \phi_{query}(V, t_{iss})$  and  $V$  is query consistent with respect to the time  $t_{iss}$  by Definition 8, provided that all concrete validity intervals established by  $\text{RCVFACT}$  are correct. Lines 5 through 8 of Algorithm 1 ensure that  $\text{RCVFACT}$  inserts a concrete validity interval into  $V$  if and only if the validity duration,  $d$ , reported by the fact provider is longer than the query round-trip time, even when adjusted to assume the largest possible clock drift between entities. Since the query and its associated response can be causally linked by nonces used in the underlying proof construction protocol (see Minami and Kotz [2005]), we can infer that the fact provider sent its response to the query at some time  $t \geq t_{iss}$ . This implies that the fact associated with the state tuple being inserted into  $V$  was valid at  $t_{iss}$  because  $t - d(1 - \delta) \leq t_{iss} \leq t$  for all possible values of  $t$  such that  $t_{iss} \leq t \leq t_{rcv}$  since  $t_{rcv} - t_{iss} \leq d(1 - \delta)$ .  $\square$

**THEOREM 3.** *Algorithm 1 is a policy-safe modification to the Minami-Kotz distributed proof construction protocol.*

**PROOF.** Minami and Kotz [2005] prove that their distributed proof construction algorithm constructs a proof of authorization only if the integrity policies of every participating entity are satisfied. Since Algorithm 1 does not alter the mechanism through which the proof construction algorithm constructs proof trees, it does not affect the enforcement of any entity's integrity policies. Furthermore, since the query response tuples  $\langle b, d \rangle \in \mathbb{B} \times \mathbb{N}$  returned by our modified protocol can be encrypted in the same manner as query responses in the original protocol, the enforcement of confidentiality policies is not affected. Therefore, Algorithm 1 makes only policy-safe modifications to the underlying distributed proof construction protocol.  $\square$

Although Algorithm 1 is sound (by Theorem 2), it is not ideally complete. It could be the case that a certain fact was valid at the time that a query was issued, even if the validity duration reported by the fact provider is less than the query round-trip time; this is an inevitable consequence of the use of casual orderings rather than synchronized clocks. Although not a violation of ideal completeness, this algorithm can also fail in the event that the validity of some fact is not monitored until the first query regarding this fact is issued. Both of these cases make it desirable to have an efficient means of revalidating a given view, as it is likely to be found consistent if rechecked. This leads directly to the stronger notion of interval consistency.

### 4.3 Interval Consistency

Establishing an interval-consistent view typically involves observing that the validity statuses of the facts comprising the view do not change or fluctuate during the course of several observations of portions of the system [Lee and Winslett 2006]. In the distributed proving setting, one cannot simply construct a given proof twice to establish an interval of validity, as there would be no guarantee that the values of facts did not fluctuate between proofs or even that the same proof tree was generated for each query.<sup>2</sup> The requery method can succeed, however, if we leverage caches at intermediate nodes to ensure that the same proof tree is constructed at each invocation and that fluctuations can be detected (via cache misses caused by proactive revocations). The intermediate node caches proposed by Minami and Kotz [2006] could be modified to suit this purpose.

Although this modified requery strategy for ensuring interval-consistent views is appealing due to its simplicity, it is in fact a worst-case strategy for a number of reasons. First, this strategy requires excessive storage of data at intermediate nodes, which is undesirable if nodes wish to remain autonomous. Second, the requery strategy requires that the entire proof tree be traversed twice, even though only the values managed by the leaves of the proof tree are of any significance to whether the proof succeeds; this results in high communication overheads. Lastly, due to reliance on intermediate node caches, a failure of any node contributing to the proof tree can cause the revalidation process to fail.

Assuming that the rules of inference dictating the structure of a proof tree are not revoked over time, we can design a more optimal strategy for ensuring interval-consistent views. Specifically, we can alter the proof construction protocol in such a way that the querying entity would learn not only whether a proof succeeded, but also a set of association tuples, each of which binds the identity of some leaf entity  $e$  in the proof tree to a fact identifier that can be used to recheck the status of the fact provided by  $e$ . This strategy eliminates the need for intermediate node caches, incurs the lowest possible overall communication overheads during a proof recheck, and fails only if a data-providing entity fails.

<sup>2</sup>Recall that the portions of the proof tree outside of the querier's integrity policies are unknown to the querier; these portions of the proof tree may differ between invocations and go undetected.

Even though this leaf exposure strategy is optimal in many respects, it can potentially violate the confidentiality policies of the leaf entities.

In an attempt to balance the efficiency of the leaf exposure strategy with the privacy preservation of the requery strategy, we propose the leaf indirection strategy for constructing interval-consistent views. As was the case with the query enforcement strategy presented in Section 4.2, we require slight modifications to formats of the entities' knowledge bases and query responses.<sup>3</sup> We will define a knowledge base  $KB$  as a subset of  $\mathcal{F} \times \{0, 1\}^\ell$  in which facts are associated with some locally unique identifier. It is important that each time a fact is inserted into a knowledge base, it is associated with a previously unused local identifier in  $\{0, 1\}^\ell$ . Furthermore, an entity  $e$  will respond to a query of the form  $?f$  with a response tuple of the form  $\langle b, ((e', id))_{K_q} \rangle \in \mathbb{B} \times \{0, 1\}^n$ . The  $b$  component of this tuple indicates whether  $e$  considers  $f$  to be valid, as in the unmodified proof system. The  $e'$  and  $id$  components of this tuple form an association tuple from the set  $\mathcal{E} \times \{0, 1\}^\ell$ , as described earlier, though this association tuple is encrypted with the public key of the original querying entity,  $q$ . As in the leaf exposure strategy,  $e$  may choose to bind herself to the proof tree, in which case  $e' = e$  and  $id$  is set to the identifier currently associated with  $f$  in  $e$ 's knowledge base. However,  $e$  can instead choose a trusted indirect entity,  $ie$ , at random; obtain a nonce  $n$  from  $ie$ ; and bind  $ie$  to the proof tree by setting  $e' = ie$  and  $id = n$ . Each indirect entity maintains a small *remote cache* that associates locally chosen nonces with (entity, fact identifier) pairs to facilitate the proof recheck process.

The leaf-indirection strategy for constructing interval-consistent views is implemented by Algorithm 2. Prior to explaining this algorithm in detail, we first assume that entities have access to the following local data structures and methods, in addition to those required in Section 4.2.

- Each entity maintains a set of locally trusted indirect entities, *Indirect*.
- The symbol  $\leftarrow_r$  denotes random assignment from some set. For example,  $e \leftarrow_r \text{Indirect}$  chooses a random member from the set of trusted indirect entities.
- An entity's node identifier can be accessed via the local variable *ME*.
- The function  $\text{GETFRESHNONCE}: \perp \rightarrow \{0, 1\}^\ell$  chooses a previously unused identifier to be associated with some fact or fact provider.
- The local knowledge base is accessible via the data structure *KB*. The function  $KB.\text{contains}: \{0, 1\}^\ell \rightarrow \mathbb{B}$  checks whether the fact associated with a given identifier is currently in the local knowledge base.
- An entity's remote cache is accessible via the *RemoteCache* data structure. This data structure has member functions  $\text{insert}: \{0, 1\}^\ell \times \mathcal{E} \times \{0, 1\}^\ell \rightarrow \perp$ ,  $\text{contains}: \{0, 1\}^\ell \rightarrow \mathbb{B}$ ,  $\text{lookup}: \{0, 1\}^\ell \rightarrow \mathcal{E} \times \{0, 1\}^\ell$ , and  $\text{delete}: \{0, 1\}^\ell \rightarrow \perp$ .

<sup>3</sup>Although the modifications required for the leaf indirection strategy are presented independently of the modifications required for query consistency, this need not be the case. In practice, both sets of modifications can be used together to allow for the creation of either query- or interval-consistent views.

Algorithm 2 works as follows. An entity contributing a base fact to some proof tree invokes the `GENERATEASSOCIATION` function to generate the association tuple that will be propagated back up the proof tree to the initial querier. If the entity  $q$  for whom this association tuple is being prepared is authorized by the local entity's confidentiality policies to learn the value of the fact associated with  $id$ , this function binds the local entity to the provided fact identifier. If  $q$  is not authorized to learn of the local entity's involvement in the proof process, a randomly chosen trusted indirect entity is bound to the proof tree via a call to the `INSERTREMOTE( $e, id$ )` function. This function triggers the execution of the `INSERTASSOCIATION` function at the entity  $e$ ; `INSERTASSOCIATION` chooses a fresh nonce and binds this to the pair  $\langle e', id \rangle$ , where  $e'$  is the entity who called `INSERTREMOTE( $e, id$ )`. The nonce is then returned to the entity  $e'$ . The initial querier thus receives both the proof tree constructed by the algorithm discussed in Section 2 and a list of association tuples binding either leaf entities or indirect leaf entities to the proof tree. Each of these association tuples is used to construct fact state tuples in some view  $V$  by using the `RcvAssoc` function.

Once the view  $V$  contains all of the necessary fact state tuples, the initial querier can then attempt to establish an interval of consistency through one or more calls to the `RECHECKVIEW( $V$ )` function. For each fact state tuple  $s \in V$ , this function uses the `ASKREMOTE` function to query the remote entity  $s.e$  to see if the fact associated with  $s.id$  is still valid. If the fact associated with  $s$  is still valid, then the validity interval in  $s$  is updated. Fuzzy validity intervals are turned into concrete validity intervals ranging from the end of the fuzzy interval until the time that the recheck was invoked; concrete validity intervals are just extended. The `ASKREMOTE( $id, e$ )` function works by invoking the `RECHECKFACT( $id$ )` function at the entity  $e$ . This function returns true if the fact associated with  $id$  is still in  $e$ 's local knowledge base or in the knowledge base of the entity associated with the nonce  $id$  in  $e$ 's remote cache, and it returns false otherwise. The function `CHECKINTERVAL( $V$ )` checks to see that  $\phi_{interval}(V)$  holds, as defined by Equation 6.

**THEOREM 4.** *If the function `CHECKINTERVAL( $V, t_s, t_e$ )` returns true, then  $V$  is interval consistent on the interval  $[t_s, t_e]$  provided that  $V$  was constructed using only calls to the `RcvAssoc` and `RECHECKVIEW` functions.*

**PROOF.** The `CHECKINTERVAL( $V, t_s, t_e$ )` function enforces the constraint that all fact state tuples in  $V$  encode concrete validity intervals that include at least the interval  $[t_s, t_e]$ . Therefore, `CHECKINTERVAL( $V, t_s, t_e$ )`  $\leftrightarrow$   $\phi_{interval}(V, t_s, t_e)$ , which implies that  $V$  is interval consistent on the interval  $[t_s, t_e]$  by Definition 9, provided that all concrete validity intervals established by `RcvAssoc` and `RECHECKVIEW` are correct. `RcvAssoc( $\langle e, id \rangle, t_{iss}$ )` inserts a fuzzy validity interval bounded by the query issue time,  $t_{iss}$ , and the association tuple receipt time for the fact  $f$  described by identifier  $id$ . This is a legitimate action, as nonces used by the underlying proof construction protocol (see Minami and Kotz [2005]) allow us to causally link the query and its response and, therefore, establish that the fact provider asserted  $f$ 's validity at some time  $t \geq t_{iss}$ . We must now show that `RECHECKVIEW` updates these fuzzy intervals correctly.

**Algorithm 2.** An interval consistency-enforcement algorithm

---

```

1: // Generate an association tuple for the fact associated with identifier  $id$ 
2: // to be sent to the initial querying entity  $q$ 
3: Function GENERATEASSOCIATION( $id \in \{0, 1\}^\ell, q \in \mathcal{E}$ )
4: if  $q$  not authorized to learn fact associated with  $id$  then
5:    $e \leftarrow_r$  Indirect
6:    $id' \leftarrow$  INSERTREMOTE( $e, id$ )
7:   return  $\langle e, id' \rangle$ 
8: else
9:   return  $\langle ME, id \rangle$ 
10:
11: // Accepts an entry to the RemoteCache table after
12: // entity  $e$  calls INSERTREMOTE
13: Function INSERTASSOCIATION( $e \in \mathcal{E}, id \in \{0, 1\}^\ell$ )
14:  $id' \leftarrow$  GETFRESHNONCE()
15: RemoteCache.insert( $id', e, id$ )
16: return  $id'$ 
17:
18: // Insert a fact state tuple associated with the association record  $\langle e, id \rangle$ 
19: // bound to a query issued at time  $t_{iss}$  into the view  $V$ .
20: Function RcvAssoc( $\langle e, id \rangle \in \mathcal{E} \times \{0, 1\}^\ell, t_{iss} \in T, V \in 2^S$ )
21:  $V.insert(id, e, t_{iss}, NOW, true)$ 
22:
23: // Recheck the fact tuples making up a view  $V$ 
24: Function RECHECKVIEW( $V \in 2^S$ )
25: for all  $s \in V$  do
26:    $t \leftarrow NOW$ 
27:   if ASKREMOTE( $s.id, s.e$ ) then
28:     if  $s.fuzzy$  then
29:        $V.insert(s.id, s.e, s.t_\omega, t, false)$ 
30:     else
31:        $V.insert(s.id, s.e, s.t_\alpha, t, false)$ 
32:
33: // Revalidate the fact identified by  $id$ 
34: Function RECHECKFACT( $id \in \{0, 1\}^\ell$ )
35: if KB.contains( $id$ ) then
36:   return true
37: if RemoteCache.contains( $id$ ) then
38:    $\langle e, id' \rangle \leftarrow$  RemoteCache.lookup( $id$ )
39:    $b \leftarrow$  ASKREMOTE( $e, id'$ )
40:   if  $\neg b$  then
41:     RemoteCache.delete( $id$ )
42:   return  $b$ 
43: else
44:   return false
45:
46: // Check the interval consistency condition on a view  $V$  relative
47: // to the time interval  $[t_s, t_e]$ 
48: Function CHECKINTERVAL( $V \in 2^S, t_s \in T, t_e \in T$ )
49: for all  $s \in V$  do
50:   if  $s.fuzzy \vee (t_s < s.t_\alpha) \vee (s.t_\omega < t_e)$  then
51:     return false
52: return true

```

---

Assuming that the `ASKREMOTE` function correctly determines whether a given fact is still true at the providing entity, `RECHECKVIEW` extends the validity interval for each fact state tuple whose corresponding fact is still valid. Assume that the recheck process for a fact state tuple  $s$  corresponding to some fact  $f$  starts when  $NOW = t_r$  and succeeds. If  $s$  encodes the fuzzy validity interval  $[s.t_\alpha, s.t_\omega]$ ,  $s$  is updated to encode the concrete validity interval  $[s.t_\omega, t_r]$ , since  $f$  was true at some time  $t \leq s.t_\omega$  and was not yet revoked at some later time  $t' \geq t_r$ . If  $s$  encodes a concrete validity interval  $[s.t_\alpha, s.t_\omega]$ , it is extended to encode the concrete validity interval  $[s.t_\alpha, t_r]$ . We now show that `RECHECKFACT`( $id$ )—which is invoked at entity  $e$  by the call `ASKREMOTE`( $id, e$ )—correctly assesses the validity of the fact associated with the identifier  $id$ .

We must consider both the case in which the fact  $f$  associated with the identifier  $id$  was originally stored in  $e$ 's local knowledge base and the case in which  $id$  was an entry in  $e$ 's remote cache. In the case where  $f$  was stored in  $e$ 's local knowledge base, line 35 of Algorithm 2 returns true if  $e$ 's knowledge base still contains the fact  $f$  associated with  $id$ ; we know that  $f$  has not yet been revoked because the `GETFRESHNONCE` function ensures that fact identifiers are not reused. If  $f$  has since been removed from  $e$ 's knowledge base, then the call to `KB.contains`( $id$ ) will fail. The check on line 37 will then fail because the state tuple associated with  $id$  was originally stored locally and thus would not be associated by `GETFRESHNONCE` with an entry in  $e$ 's remote cache. This failure would then cause `RECHECKFACT` to return false, which implies that `RECHECKFACT` performs correctly in the case in which the fact  $f$  associated with identifier  $id$  was originally stored in  $e$ 's local knowledge base.

We now consider the case in which  $id$  was originally associated with an entry in  $e$ 's remote cache. Line 38 first determines the tuple  $\langle e', id' \rangle$  associated with the identifier  $id$  in  $e$ 's remote cache. If this look-up fails, we know that the fact that was indirectly associated with the identifier  $id$  has been revoked, as entries in  $e$ 's remote cache are only removed after failed look-ups (by line 41). By reasoning similar to that used earlier, the call to `ASKREMOTE` on line 39 will cause `RECHECKFACT` to return true in the event that the fact  $f'$  associated with  $id'$  in  $e'$ 's knowledge base has not yet been revoked. Again, we know that this is not a false positive, as `GETFRESHNONCE` ensures that fact identifiers are used at most once. If  $f'$  has been removed from  $e'$ 's knowledge base but not from  $e$ 's remote cache, this call to `ASKREMOTE` will return false. This will cause the entry associated with  $id$  to be removed from  $e$ 's remote cache; `RECHECKFACT` will then return false, as expected.

The fact that `RECHECKFACT` behaves as expected implies that `ASKREMOTE` correctly assesses the continuing validity of remotely store facts. This, in turn, implies that `RECHECKVIEW` correctly updates the validity intervals encoded in the fact state tuples of a given view initially constructed by one or more calls to the `RcvASSOC` function. Since views can be correctly constructed by calls to the `RcvASSOC` and `RECHECKVIEW` functions and we have shown that `CHECKINTERVAL`( $V, t_s, t_e$ )  $\leftrightarrow \phi_{interval}$ ( $V, t_s, t_e$ ), we can conclude that `CHECKINTERVAL`( $V, t_s, t_e$ ) returns true if and only if  $V$  is interval consistent on the interval  $[t_s, t_e]$ .  $\square$

Note that although Algorithm 2 is shown to be sound by Theorem 4, it is not ideally complete. That is, an omniscient entity may have been able to observe an interval-consistent view even if Algorithm 2 fails. This can occur because the set of rechecks initiated after the time  $t_e$  takes a nonzero amount of time to complete. As with the completeness limitations discussed in Section 4.2, this is an artifact of relying on causal orderings to establish validity intervals, rather than perfectly synchronized clocks. We now show that Algorithm 2 is a policy-safe modification to the underlying distributed proof construction protocol.

**THEOREM 5.** *Algorithm 2 is a policy-safe modification to the Minami-Kotz distributed proof construction protocol.*

**PROOF.** As was the case with Algorithm 1, Algorithm 2 does not affect the construction of distributed proof trees. Therefore, the proof given by Minami and Kotz [2005] stating that proof trees are constructed only if the integrity policies specified by each participating entity are respected still holds. We must now show that the confidentiality policies specified by each entity are still respected. To this end, we must show that no unauthorized entity along the path from the querier  $q$  to some fact provider  $e$  can learn both the fact  $f$  provided by  $e$  and  $f$ 's validity as reported by  $e$ . To address the most general case, we will assume that learning  $e$ 's identity is sufficient for an unauthorized entity to infer  $f$ . We then show that (i) each entity participating in the construction of the proof tree that is not entitled to know  $f$  cannot learn  $e$ 's identity, and (ii) entities that do know  $f$  but should not learn  $f$ 's validity cannot infer it.

We first treat case (i) and show that each unauthorized entity  $u$  in the proof tree that should not learn  $f$  does not learn  $e$ 's identity. There are two sub-cases:  $u = q$  and  $u \neq q$ . Consider the case where  $u$  is an intermediate entity in the proof tree, that is,  $u \neq q$ . In this case,  $u$  cannot learn  $e$ 's identity, as the association tuple that might possibly bind  $e$  to the proof tree is encrypted with  $q$ 's public key,  $K_q$ . In the case that  $u = q$ , we must show that  $u$  cannot learn  $e$ 's identity. In this case,  $q$  receives an association tuple binding an indirect entity  $ie$  to the fact provided by  $e$ . Since  $ie$  is trusted by  $e$  not to reveal  $e$ 's identity,  $q$  cannot learn the identity of  $e$  and thus cannot infer the hidden fact  $f$  provided by  $e$ .

Note that case (ii) is handled by the encryption of sensitive query responses as described in Section 2.3. Since the incorporation of association tuples into query responses does not affect this encryption process, the proof construction algorithm will correctly enforce the confidentiality of responses as proven by Minami and Kotz [2005]. As we have shown that each entity that should not learn the fact  $f$  provided by  $e$  cannot learn  $f$  and that entities that should not learn  $f$ 's validity cannot learn it, we can conclude that  $e$ 's confidentiality policies are correctly enforced. Since both  $e$ 's confidentiality policies and integrity policies are correctly enforced, we can conclude that Algorithm 2 is a policy-safe modification to the underlying proof system.  $\square$

Although Algorithm 2 is a policy-safe modification to the Minami-Kotz distributed proof construction framework, it does nonetheless reveal additional




Fig. 5. A diagram illustrating several possible proof tree structures. Inference nodes are represented by squares and fact leaves are represented by circles. The dashed lines indicate the expected leaves of the proof tree as perceived by the querier.

information to the initial querying entity  $q$ . Specifically, in addition to knowing the portion of the initial proof tree specified by its integrity policies,  $q$  learns a list of association tuples declaring certain entities to be (possibly indirect) contributors of atomic facts to the proof tree. We now prove that this list of association tuples gives  $q$  only minimal information regarding the structure of the generated proof tree beyond what is implied by its integrity policies.

**THEOREM 6.** *Given the set of association tuples  $\mathcal{A} = \{(e_1, n_1), \dots, (e_i, n_i)\}$  associated with a given proof tree, the initial querier  $q$  learns only the number of entities contributing facts to the proof tree and, in some cases, whether the proof tree extends beyond the proof tree implied by their integrity policies.*

**PROOF.** Assume without loss of generality that each entity involved in the construction of a distributed proof makes at most one inference step. Let the set  $E$  contain the leaf entities implied by  $q$ 's integrity policies, henceforth called the set of *expected leaves* of the proof tree. To prove this claim, we must explore two cases:  $|E| = |\mathcal{A}|$  and  $|E| < |\mathcal{A}|$ . If  $|E| = |\mathcal{A}|$ , we know that each expected leaf node  $e \in E$  is either a fact provider or the initiator of a chain of inference forming a linear subproof whose leaf provides a fact to the proof generated by  $q$ 's query. If  $e$  is mentioned explicitly in an association tuple  $a \in \mathcal{A}$ , then  $q$  cannot conclude whether  $e$  contributed directly to the proof tree or was chosen as an indirect entity for the actual leaf,  $e'$ , of the linear subproof initiated by  $e$ . These two indistinguishable subcases are shown in Figures 5(a) and 5(b). Note that in Figure 5, each inference node  $I_k$  is associated with a unique entity  $e_k$  by our prior assumption. If  $e$  is not explicitly mentioned in any association tuple

in  $\mathcal{A}$ , then  $q$  cannot differentiate between the case in which  $e$  contributed a fact to the proof tree via an indirect entity and the case in which  $e$  initiated a chain of inference resulting in a linear subproof.

If  $|E| < |\mathcal{A}|$ , then  $q$  knows that the proof tree certainly extends beyond the proof tree implied by her integrity policies and that at least one  $e \in E$  initiated a subproof contributing multiple facts to the proof. In the event that  $|E| > 1$ ,  $q$  cannot infer which entity or entities in  $E$  initiated subproofs contributing multiple facts to the proof, as the set of association tuples  $\mathcal{A}$  encodes no structural information. If  $|E| = 1$ , then  $q$  clearly knows that the only  $e \in E$  initiated a subproof contributing multiple facts to the proof tree. However,  $q$  cannot differentiate between linear and branching chains of inference, again, as no structural information is encoded in the set  $\mathcal{A}$ . This case is illustrated in Figures 5(c) and 5(d). This shows that  $q$  learns no information beyond the number of facts used in the proof tree and whether, in some cases, the proof tree extends beyond its expected leaves.  $\square$

#### 4.4 Sliding Windows of Consistency

Recall from Section 3.3.4 that the definition of sliding window consistency requires the use of a sequence of views recording observational information regarding the validity of the facts used during the construction of a given distributed proof. As a result, the algorithm used to enforce this consistency condition cannot follow the “construct and validate” strategies used to enforce the notions of interval and query consistency. Rather, algorithms for enforcing sliding window consistency constraints must repeatedly sample the state of the proof tree, evaluating intermediate consistency conditions all the while.

A naïve approach to enforcing this consistency condition involves repeated use of Algorithm 1. If a query evaluator uses this algorithm to establish a query-consistent view every  $\tau$  time units for some  $\tau \leq \Delta$ , it is easy to show that the  $\phi_{sliding}$  predicate (Equation 7) is satisfied. However, as we will see in Section 5, the overhead of constructing an initial proof tree (e.g., as in Algorithm 1) is far greater than the cost of rechecking an existing proof tree. This implies that this naïve approach to enforcing the sliding window consistency condition is computationally more expensive than is strictly necessary. A more cost-effective alternative is to create an algorithm that leverages both the simplicity of Algorithm 1 and the efficient rechecking process used by Algorithm 2.

To accomplish this, we assume that knowledge bases are of the form  $KB \subseteq \mathcal{F} \times T \times \{0, 1\}^\ell$ . This allows each fact in an entity’s knowledge base to be associated with a period of validity (as in Section 4.2) and a locally unique identifier (as in Section 4.3). Unlike in Section 4.3, however, the unique identifier for a given fact does not need to change over time. An entity  $e$  will respond to a query of the form  $?f$  with a response tuple of the form  $(b, d, ((e', id))_{K_q}) \in \mathbb{B} \times \mathbb{N} \times \{0, 1\}^\ell$ . As before, the  $b$  component of this tuple indicates whether  $e$  considers  $f$  to be valid, and the  $d$  component represents the duration of validity recorded for  $f$  at the time that the response tuple was generated. As in Section 4.3, the  $e'$  and  $id$  portions of this response form an association tuple that provides a means for the querier to recheck the validity of a given fact without revealing which fact

is being rechecked or which entity maintains the status information for that fact. After carrying out their initial query, the querier will then be able to use the set of association tuples that it has gathered to recheck the simultaneous validity of the facts in the view much more efficiently than is possible through repeated use of Algorithm 1.

The aforementioned means of enforcing the sliding window consistency condition is implemented by Algorithm 3. Prior to explaining this algorithm in detail, we make the following assumptions, in addition to those made in Section 4.2.

- The local knowledge base is accessible via the the data structure *KB*. The function  $KB.isLocalId : \{0, 1\}^\ell \rightarrow \mathbb{B}$  checks whether the fact associated with a given identifier has ever been monitored by this knowledge base. The function  $KB.lookup : \{0, 1\}^\ell \rightarrow \mathbb{B} \times T$  returns the validity status and duration of validity for the fact associated with a given identifier.
- An entity’s remote cache is accessible via the *RemoteCache* data structure. This data structure has member functions  $contains : \{0, 1\}^\ell \rightarrow \mathbb{B}$  and  $lookup : \{0, 1\}^\ell \rightarrow \mathcal{E} \times \{0, 1\}^\ell$ .

Algorithm 3 works as follows. As described earlier, when an entity contributes a fact to a proof tree, they return the fact’s validity status, a duration of validity, and an association tuple describing how the validity status of this fact can be efficiently rechecked. For brevity, the details of managing the remote cache that manages these associate tuples have been omitted from Algorithm 3, but the procedure for choosing indirect nodes and creating association tuples used in Algorithm 2 could be used in this algorithm without modification. After the querying node receives a response tuple, they use `RcvResponse` method to insert this response tuple into their local view. This process represents the initialization phase of the sliding window consistency enforcement algorithm. We now describe the ongoing verification phase of this algorithm.

To verify that a view *V* constructed using calls to the `RcvResponse` method, the querier calls the `CheckSliding` function, providing the view *V*, a widow length  $\Delta$ , and the time at which *V* was last verified to be sliding window consistent as arguments. This function first saves the current time and then calls the `RecheckView` method. `RECHECKVIEW` checks the current validity status of each fact identified in *V* by calling `AskRemote`. `ASKREMOTE(e, id)`, in turn, calls the `RecheckFact(id)` method at entity *e*, which looks up the validity of the fact associated with the identifier *id* in *e*’s knowledge base or in the knowledge base of the entity identified by *e*’s *RemoteCache* object, and then returns this status to the querier. Note that unlike its counterpart in Algorithm 2, `RECHECKFACT` does not remove entries from an entity’s *RemoteCache* object if the remote look-up returns a false value, as validity fluctuations are permissible under the definition of sliding window consistency; evictions from this cache will instead take place by means of some other strategy (e.g., LRU).

After the call to `RECHECKVIEW` returns, `CHECKSLIDING` iterates over the state tuples stored in *V* and checks to see if each tuple was valid at the previously saved timestamp. If this check succeeds, `CHECKSLIDING` indicates that *V* is still

**Algorithm 3.** A sliding window consistency, enforcement algorithm

---

```

1: // Receive a fact response tuple relevant to a query issued at time  $t_{iss}$ 
2: // from some entity  $e$ . Only invoked on true facts.
3: Function RCVRESPONSE( $(e, id) \in \mathcal{E} \times \{0, 1\}^\ell, d \in \mathbb{N}, t_{iss} \in T, V \in 2^S$ )
4:  $t_{rcv} \leftarrow NOW$ 
5: if  $t_{rcv} - t_{iss} \leq d(1 - \delta)$  then
6:    $V.insert(id, e, t_{iss}, t_{iss}, false)$ 
7: else
8:    $V.insert(id, e, t_{iss}, NOW, true)$ 
9:
10: // Recheck the fact tuples making up a view  $V$ 
11: Function RECHECKVIEW( $V \in 2^S, t \in T$ )
12: for all  $s \in V$  do
13:    $(b, d) \leftarrow ASKREMOTE(s.id, s.e)$ 
14:    $ts \leftarrow NOW$ 
15:   if  $b$  then
16:     if  $\neg s.fuzzy \wedge (ts - s.t_o \leq d(1 - \delta))$  then
17:        $V.insert(s.id, s.e, s.t_\alpha, t, false)$ 
18:     else if  $ts - t \leq d(1 - \delta)$  then
19:        $V.insert(s.id, s.e, t, t, false)$ 
20:
21: // Revalidate the fact identified by  $id$ 
22: Function RECHECKFACT( $id \in \{0, 1\}^\ell$ )
23: if  $KB.isLocalId(id)$  then
24:   return  $KB.lookup(id)$ 
25: else if  $RemoteCache.contains(id)$  then
26:    $(e, id') \leftarrow RemoteCache.lookup(id)$ 
27:   return  $ASKREMOTE(e, id')$ 
28: else
29:   ERROR
30:
31: // Check the sliding window consistency condition on a view  $V$  relative to the window size  $\Delta$ .
32: // The parameter  $t_{last}$  represents the last time that this consistency condition was true. The
33: // second component in the tuple returned by this function indicates the last time at which the
34: // sliding window consistency condition was verified to hold. This can, in turn, be used as
35: // the  $t_{last}$  argument to future invocations of this function.
36: Function CHECKSLIDING( $V \in 2^S, \Delta \in \mathbb{N}, t_{last} \in T$ )
37:  $t \leftarrow NOW$ 
38: if  $(t_{last} > 0) \wedge (t_{last} < t - \Delta)$  then
39:   return  $(false, t_{last})$ 
40:  $RECHECKVIEW(V, t)$ 
41:  $status \leftarrow true$ 
42: for all  $s \in V$  do
43:   if  $s.fuzzy \vee (t < s.t_\alpha) \vee (s.t_o < t)$  then
44:      $status \leftarrow false$ 
45: if  $status$  then
46:   return  $(true, t)$ 
47: else if  $t - \Delta \leq t_{last}$  then
48:   return  $(true, t_{last})$ 
49: else
50:   return  $(false, 0)$ 

```

---

sliding window consistent and that all facts were verified to be simultaneously true at the aforementioned timestamp. Should this check fail but all facts were previously observed to be simultaneously valid within  $\Delta$  time units of the previously saved timestamp, this previous time of simultaneous validity is returned in support of  $V$ 's continuing sliding window consistency. If neither of these conditions are true, then  $V$  is no longer sliding window consistent and CHECKSLIDING returns false. Note that the second component of the tuple returned by CHECKSLIDING indicates the last time at which the sliding window consistency condition was verified to hold; this timestamp can then be used as the  $t_{last}$  argument in future invocations of CHECKSLIDING.

We now make the following claim regarding the soundness of Algorithm 3:

**THEOREM 7.** *If the series of  $n$  function calls  $\text{CHECKSLIDING}(V, \Delta, 0), \dots, \text{CHECKSLIDING}(V, \Delta, t_{last}^n)$  made at times  $t_1, \dots, t_n$  return the values  $(\text{true}, t'_1), \dots, (\text{true}, t'_n)$  then the view  $V$  is sliding window consistent on the interval  $[t_1, t_n]$  using the window size  $\Delta$ , provided that  $V$  was initially constructed using only RCVRESPONSE, was modified only through the above calls to CHECKSLIDING, and that  $t_{last}^i = t'_{i-1}$  for all  $i \geq 2$ .*

**PROOF.** By an argument similar to that used in the proofs of Theorems 2 and 4, the RCVRESPONSE function correctly constructs the initial view  $V$ . We must now show that the function RECHECKVIEW correctly updates the fact state tuples stored in  $V$ . This function utilizes the ASKREMOTE function to query the entity associated with each fact state tuple  $s \in V$  regarding the associated fact's status. This triggers the RECHECKFACT function at the remote entity, which either returns a response from its local knowledge base or, if this node is an indirect node, queries the actual fact provider and returns that response to the initial querier. If the fact status returned is true and the associated validity duration overlaps an already-established validity interval for this fact even after it is adjusted to account for clock skew, then this existing validity interval is lengthened. Otherwise, if the fact is true and the validity duration encompasses the time  $t$  at which RECHECKVIEW was invoked, then the existing validity interval is replaced by the interval  $[t, t]$ . Otherwise, the existing validity interval is left unchanged. Since the changes made to  $V$  by RECHECKVIEW are consistent with the querier's observations and account for clock skew between nodes in the system, we can conclude that RECHECKVIEW correctly updates  $V$ .

Given that RCVRESPONSE correctly creates views and RECHECKVIEW correctly updates the validity information stored in a view, we must now show that CHECKSLIDING correctly enforces the sliding window consistency condition. We proceed by induction on the number of calls made to the CHECKSLIDING function. To prove the base case, we must show that if  $\text{CHECKSLIDING}(V, \Delta, 0)$  is invoked at time  $t$  and returns the tuple  $(\text{true}, t')$  then the predicate  $\phi_{sliding}(V, t, t, \Delta)$  holds true. In this case, the first **if** statement in CHECKSLIDING will be bypassed, since  $t_{last} = 0$ , and  $V$  will be updated by a call to RECHECKVIEW. Now, CHECKSLIDING will only return true if the **if** statement at Line 43 succeeds for each  $s \in V$ . Since this test ensures that the validity interval for each  $s \in V$  includes the time  $t$  at which CHECKINTERVAL was invoked, it implies that the predicate  $\phi_{sliding}(V, t, t, \Delta)$  holds.

Assume that the predicate  $\phi_{sliding}(V, t_1, t_n, \Delta)$  holds if the series of function calls  $\text{CHECKSLIDING}(V, \Delta, 0), \dots, \text{CHECKSLIDING}(V, \Delta, t_{last}^n)$  are made at times  $t_1, \dots, t_n$  and return the values  $(\text{true}, t'_1), \dots, (\text{true}, t'_n)$ . To complete this proof, we must now show that if  $\text{CHECKSLIDING}(V, \Delta, t'_n)$  returns  $(\text{true}, t'_{n+1})$  when invoked at time  $t_{n+1}$ , then the predicate  $\phi_{sliding}(V, t_1, t_{n+1}, \Delta)$  holds. As long as the first **if** statement in  $\text{CHECKSLIDING}$ —which ensures that  $t_{n+1}$  is within  $\Delta$  of the last time at which  $V$  was evaluated to be sliding window consistent—evaluates to true, then  $\text{CHECKSLIDING}$  will update the validity intervals stored in the view and return  $(\text{true}, t'_{n+1})$ . If all of the validity intervals maintained by  $V$  could be extended to include the time  $t_{n+1}$  then  $t'_{n+1} = t_{n+1}$ , otherwise  $t'_{n+1} = t'_n$ . In either case, the theorem holds.  $\square$

Although Algorithm 3 is proven sound by the above theorem, it is not ideally complete. There could very well be unobserved times between calls to the  $\text{CHECKSLIDING}$  function in which the facts comprising  $V$  are simultaneously valid. Entities can, however, balance a trade-off between proximity to ideal completeness and computational overhead by increasing the frequency of calls to  $\text{CHECKSLIDING}$ . We now prove that Algorithm 3 is a policy-safe modification to the Minami-Kotz protocol.

**THEOREM 8.** *Algorithm 3 is a policy-safe modification to the Minami-Kotz distributed proof construction protocol.*

**PROOF.** Algorithm 3 does not affect the construction of distributed proofs; therefore, all integrity policies are still respected. To show that the confidentiality policies of nodes in the system are respected by Algorithm 3, we note that the only difference between the recheck procedure followed by this algorithm and that followed by Algorithm 2 is that this algorithm also reveals a validity duration in addition to the fact status. Since disclosing this duration to the querying entity does not reveal any more confidential information than revealing the status of a given fact, an argument identical to that used in the proof of Theorem 5 shows that Algorithm 3 also respects each entity's confidentiality policies.  $\square$

#### 4.5 Modifications for Other Distributed Proof Systems

This section focused on modifying the Minami-Kotz distributed proof system to enforce various consistency conditions. However, the algorithms presented can be used in conjunction with other proof systems and can, in fact, be greatly simplified if implemented within proof systems that are not concerned with the privacy of fact providers (e.g., Bauer et al. [2005] and Jim [2001]). Specifically, the query consistency condition can be implemented exactly as described in Algorithm 1. The algorithms for the interval and sliding window-consistency conditions that were presented in Sections 4.3 and 4.4 can be simplified, however, since we would no longer need to protect the privacy of fact providers. In particular, we could use the leaf exposure strategy to implement the interval consistency enforcement algorithm, since the querier would already know the identity of each leaf in the proof system. Similar simplifications can be made

to the sliding window consistency enforcement algorithm, because the privacy of leaf entities need not be preserved.

## 5. EVALUATION

In this section, we measure the performance impact of our consistency enforcement algorithms. The environment in which we ran our tests consisted of a 25-node cluster connected with 100Mbit Ethernet. Each node has a 3.2GHz Intel Pentium D 940 dual-core processor and 2GB RAM, and runs RedHat Linux AS 4 and Sun Microsystems' Java runtime (v1.4.2). Our system has approximately 12,500 lines of Java code, of which about 600 lines represent extensions to the core implementation of the proof construction system described by Minami and Kotz [2006]. We used the Java Cryptographic Extension (JCE) framework to implement RSA and Triple-DES (TDES) cryptographic operations. A 1,024-bit public key whose public exponent is fixed to 65,537 was used in all of our experiments, and the RSA signing operation used MD5 [Rivest 1992] to compute the hash value for each message to be signed. We used Outer-CBC TDES in EDE mode to perform symmetric key operations.

During our experiments, we measured the latency of constructing distributed proof trees using two different strategies to ensure interval consistency. These experiments utilized 25 servers, each of which was run by a different principal. Each query issued during our experiments was of the form  $?grant(P, R)$  where  $P$  is a principal and  $R$  is a resource. The body of each rule in any knowledge base is of the form  $a_0(c_0), \dots, a_{n-1}(c_{n-1})$  where each  $a_i$  is a predicate symbol and each  $c_i$  is a constant. Our experiments attempted to create proof trees containing up to 35 nodes. We believe that proof trees of this size are significantly larger than would be required in most applications, thus, our results should provide guidelines about the worst-case latency for a wide array of practical applications. Authorization, confidentiality, and integrity policies were generated for each of these principals automatically and in such a fashion as to ensure that valid proof trees of the appropriate size could be constructed. For each size of proof tree analyzed during these experiments, measurements were taken during the construction of 10 different proof trees of varying internal structure.

Figure 6 compares the query-handling latencies of three different proof construction algorithms; each data point is an average of 50 runs (5 runs for each of the 10 different proof trees generated per proof size). The proof construction curve illustrates the cost of generating the proof tree corresponding to some initial query, which also reflects the cost of using Algorithm 1 to enforce the use of query-consistent views. The leaf exposure curve illustrates the cost of using the leaf exposure strategy to guarantee that proofs are generated using interval-consistent views. In this case, the identities of all leaf nodes in the system are forwarded to the initial querier, who can then recheck the validity of each base fact directly; this is a time-optimal strategy for constructing interval-consistent views. The leaf indirection curve represents the cost of generating proofs using interval-consistent views by leveraging the leaf indirection strategy described in Algorithm 2.




Fig. 6. Latency for handling queries.

Figure 6 shows that these two strategies for enforcing the use of interval-consistent views cost little more than generating the initial distributed proof. Specifically, the leaf exposure strategy takes only about 10% to 15% more time than generating the initial proof tree, while the leaf indirection strategy takes only 25% to 30% more time than generating the initial proof tree. These results confirm our earlier conjecture that the leaf indirection strategy is a close approximation of the time-optimal leaf exposure strategy. The leaf indirection strategy is also vastly more efficient than the naive requery strategy, which would require 100% more time than generating the initial proof tree. Although these results depend on our specific implementations, it is still interesting to note that it is possible to recheck proofs much faster than they can be constructed; this may lead to the design of more efficient distributed proof engines in the future. These efficiency results combined with Theorems 5 and 6 firmly establish the leaf indirection strategy (as implemented by Algorithm 2) as a low-cost, privacy-preserving method for ensuring the use of interval-consistent views during the construction and evaluation of distributed proofs.

We also note that the cost of enforcing the sliding window consistency condition via Algorithm 3 can be calculated using the data from Figure 6. An execution of Algorithm 3 involving  $r$  rechecks of the proof requires the time indicated on the proof construction curve plus  $r$  times the difference between the proof construction and leaf indirection curves. As was alluded to in Section 4.4, this cost is significantly less than using  $r$  invocations of Algorithm 1, which would have a cost of  $r$  times the proof construction curve. Further evaluation of the overheads of Algorithm 3, and the sliding window consistency condition in general, requires additional assumptions regarding the application domain. This is because the frequency with which the facts comprising a proof tree are expected to fluctuate will dictate the frequency with which a proof should be rechecked. Algorithm 3 is compatible with any choice of strategy for

invoking the `CHECKSLIDING` function. The development of domain-specific optimal strategies for rechecking distributed proofs is an interesting area of research, but is out of the scope of this article.

## 6. RELATED WORK

The problem of sampling consistent system views during decentralized authorization protocols was first studied by Lee and Winslett [2006, 2008]. This work focused on certificate-based authorization protocols in which the entity enforcing a policy was assumed to have access to all certificates used during policy satisfaction (e.g., see Bauer et al. [2005], Becker and Sewell [2004], Bertino et al. [2004], Li et al. [2005], Winsborough and Li [2002], Winslett et al. [2005], and Yu et al. [2003]). The solutions presented by Lee and Winslett [2006, 2008] leveraged the semantics of certificate issuance and revocation to build consistent views based on particular orderings of online certificate validity checks; these checks are facilitated through protocols such as OCSP [Myers et al. 1999] and COCA [Zhou et al. 2002]. We extend these results by demonstrating that light-weight view-consistency enforcement schemes can also be designed for more general decentralized authorization frameworks in which (i) portions of a proof tree may be hidden from the policy evaluator and (ii) simple assertions authenticated with digital signatures or keyed HMACs are used as proof atoms, rather than CA-issued certificates. These more general frameworks are likely candidates for use in pervasive computing systems and sensor networks.

The Antigone Context Framework (ACF) provides a general-purpose framework for incorporating contextual data into authorization policy enforcement systems [McDaniel 2003]. ACF allows policy writers to incorporate contextual assertions into policies without requiring that the policy language include support for obtaining this data. However, ACF does not provide explicit mechanisms for enforcing the types of consistency constraints discussed in this article.

Our work is also closely related to concurrency control and consistency enforcement in distributed systems [Tanenbaum and van Steen 2002], distributed databases [Cellary et al. 1988], and distributed shared memory [Adve and Gharachorloo 1996]. In general, solutions to the consistency problem in these domains assume that multiple entities will be updating values stored at multiple locations within the system and as such, maintaining data consistency is of concern to everyone. Therefore, their solutions typically involve the cooperation of multiple entities. However, in distributed authorization protocols, there is little incentive for entities to take part in complicated consistency preservation protocols, as view consistency is only of concern to the policy evaluator. Therefore, the solutions developed in the distributed systems, distributed databases, and distributed shared memory literature are not suitable for our problem domain; the solutions developed in this article require only the cooperation of a minimal number of participants in the protocol.

A final area of related work is the collection of system state snapshots in distributed systems. Collecting consistent snapshots that can be used to evaluate stable predicates over the system state is a well-known problem, to which a solution is presented by Chandy and Lamport [1985]. Unfortunately, the

unstable nature of fact statuses prevents the use of this algorithm for solving the view consistency problem. There exist algorithms for collecting distributed state snapshots that can be used to evaluate unstable predicates (for a survey, see Babaoğlu and Marzullo [1993]), though these algorithms have very high overheads and make unreasonable assumptions about process cooperation for our problem domain. Instead, we leverage our restricted domain of interest—that is, distributed proof systems—to develop lighter weight, more efficient solutions for sampling consistent distributed proofs while making only minimal assumptions about process cooperation.

## 7. CONCLUSIONS

In this article, we explored the problem of enforcing consistency constraints on the system views used during policy evaluation in an authorization system based on distributed proof construction. In particular, we focused on enabling the use of consistent system views when evaluating policies within the proof construction framework presented by Minami and Kotz [2005]. This framework complicates the view consistency problem, as the confidentiality and integrity policies declared by entities in the system may render the full details of a given proof tree unavailable to the initial querier. Further, simple signed assertions are used as facts in the system, rather than CA-issued certificates.

Within this framework, we formally defined the view consistency problem and several important levels of view consistency. We then presented efficient algorithms for enforcing three levels of view consistency, proved the soundness of each algorithm, commented on the proximity of these algorithms to ideal completeness, and proved that all three algorithms represent policy-safe modifications to the underlying proof system. That is, none of these algorithms have any effect on the proper enforcement of confidentiality or integrity policies defined by entities in the system. We then quantitatively evaluated the impact of these algorithms on an implementation the proof system presented by Minami and Kotz [2005], which was found to be minimal. Our solutions generalize previous work on the view consistency problem, which assumed that all assertions used during the proof construction process were encoded in CA-issued certificates and that each assertion used during the protocol was available to the policy evaluator for inspection [Lee and Winslett 2006; Lee and Winslett 2008].

## REFERENCES

- ADVE, S. V. AND GHARACHORLOO, K. 1996. Shared memory consistency models: A tutorial. *IEEE Comput.* 66–76.
- AL-MUHTADI, J., RANGANATHAN, A., CAMPBELL, R., AND MICKUNAS, D. 2003. Cerberus: A context-aware security scheme for smart spaces. In *Proceedings of the 1st International Conference on Pervasive Computing and Communications*. IEEE, Los Alamitos, CA, 489–496.
- BABAOĞLU, O. AND MARZULLO, K. 1993. Consistent global states of distributed systems: fundamental concepts and mechanisms. In *Distributed Systems*, S. J. Mullender, Ed. Addison-Wesley, Upper Saddle River, NJ, 55–96.
- BACON, J., MOODY, K., AND YAO, W. 2002. A model of OASIS role-based access control and its support for active security. *ACM Trans. Inform. Syst. Secur.* 5, 4, 492–540.
- BAUER, L., GARRISS, S., AND REITER, M. K. 2005. Distributed proving in access-control systems. In *Proceedings of the Symposium on Security and Privacy*. IEEE, Los Alamitos, CA, 81–95.

- BECKER, M. Y. AND SEWELL, P. 2004. Cassandra: Distributed access control policies with tunable expressiveness. In *Proceedings of the 5th International Workshop on Policies for Distributed Systems and Networks*. IEEE, Los Alamitos, CA, 159–168.
- BERTINO, E., FERRARI, E., AND SQUICCIARINI, A. C. 2004. Trust- $\mathcal{X}$ : A peer-to-peer framework for trust establishment. *IEEE Trans. Knowl. Data Eng.* 16, 7, 827–842.
- CELLARY, W., GELENBE, E., AND MORZY, T. 1988. *Concurrency Control in Distributed Database Systems*. Elsevier Science Publishing Company, Inc.
- CHANDY, K. M. AND LAMPORT, L. 1985. Distributed snapshots: Determining global states of distributed systems. *ACM Trans. Comput. Syst.* 3, 1, 63–75.
- COVINGTON, M. J., LONG, W., SRINIVASAN, S., DEY, A. K., AHAMAD, M., AND ABOWD, G. D. 2001. Securing context-aware applications using environment roles. In *Proceedings of the 6th Symposium on Access Control Models and Technologies*. ACM, New York, 10–20.
- JIM, T. 2001. SD3: A trust management system with certified evaluation. In *Proceedings of the Symposium on Security and Privacy*. IEEE, Los Alamitos, CA, 106–115.
- LEE, A. J., MINAMI, K., AND WINSLETT, M. 2007. Lightweight consistency enforcement schemes for distributed proofs with hidden subtrees. In *Proceedings of the 12th Symposium on Access Control Models and Technologies (SACMAT '07)*. ACM, New York, 101–110.
- LEE, A. J. AND WINSLETT, M. 2006. Safety and consistency in policy-based authorization systems. In *Proceedings of the 13th Conference on Computer and Communications Security*. ACM, New York, 124–133.
- LEE, A. J. AND WINSLETT, M. 2008. Enforcing safety and consistency constraints in policy-based authorization systems. *ACM Trans. Inform. Syst. Secur.*
- LI, J., LI, N., AND WINSBOROUGH, W. H. 2005. Automated trust negotiation using cryptographic credentials. In *Proceedings of the 12th Conference on Computer and Communications Security*. ACM, New York, 46–57.
- MCDANIEL, P. 2003. On context in authorization policy. In *Proceedings of the 8th Symposium on Access Control Models and Technologies (SACMAT 2003)*. ACM, New York, 80–89.
- MINAMI, K. AND KOTZ, D. 2005. Secure context-sensitive authorization. *J. Pervasive Mobile Comput.* 1, 1, 123–156.
- MINAMI, K. AND KOTZ, D. 2006. Scalability in a secure distributed proof system. In *Proceedings of the 4th International Conference on Pervasive Computing (Pervasive)*.
- MYERS, M., ANKNEY, R., MALPANI, A., GALPERIN, S., AND ADAMS, C. 1999. X.509 Internet public key infrastructure online certificate status protocol—OCSP. IETF RFC 2560.
- MYLES, G., FRIDAY, A., AND DAVIES, N. 2003. Preserving privacy in environments with location-based applications. *IEEE Pervasive Comput.* 2, 1, 56–64.
- RIVEST, R. L. 1992. The MD5 message-digest algorithm. IETF RFC 1321.
- TANENBAUM, A. S. AND VAN STEEN, M. 2002. *Distributed Systems: Principles and Paradigms*. Prentice Hall.
- WINSBOROUGH, W. AND LI, N. 2002. Towards practical automated trust negotiation. In *Proceedings of the 3rd International Workshop on Policies for Distributed Systems and Networks (POLICY'02)*. IEEE, Los Alamitos, CA, 92.
- WINSLETT, M., ZHANG, C. C., AND BONATTI, P. A. 2005. PeerAccess: A logic for distributed authorization. In *Proceedings of the 12th Conference on Computer and Communications Security*. ACM, New York, 168–179.
- YU, T., WINSLETT, M., AND SEAMONS, K. E. 2003. Supporting structured credentials and sensitive policies through interoperable strategies for automated trust negotiation. *ACM Trans. Inform. Syst. Secur.* 6, 1.
- ZHOU, L., SCHNEIDER, F. B., AND VAN RENESSE, R. 2002. COCA: A secure distributed online certification authority. *ACM Trans. Comput. Syst.* 20, 4, 329–368.

Received January 2008; accepted February 2009