

CS 1571 Introduction to AI

Lecture 1

Course overview

Milos Hauskrecht

milos@cs.pitt.edu

5329 Sennott Square

Course administrivia

Instructor: Milos Hauskrecht

5329 Sennott Square

milos@cs.pitt.edu

TA: Swapna Somasundaran

5422 Sennott Square


swapna@cs.pitt.edu

Course web page:

<http://www.cs.pitt.edu/~milos/courses/cs1571/>

Textbook

Course textbook:



Stuart Russell, Peter Norvig.

Artificial Intelligence: A modern approach.

2nd edition, Prentice Hall, 2002

Other widely used AI textbooks:

Dean, Allen, Aloimonos: Artificial Intelligence.

P. Winston: Artificial Intelligence, 3rd ed.

N. Nilsson: Principles of AI.

Grading

- | | |
|------------------------|-----|
| • Lectures | 15% |
| • Homework assignments | 40% |
| • Midterm | 20% |
| • Final | 25% |

Lectures

- **15 % of the grade**
- **Attendance + short quizzes**
- **Short quizzes:**
 - 10 minutes at the beginning of the lecture
 - Random
 - Short question(s) from previous lectures

Homework assignments

- **Homework assignments:**
 - 40 % of the grade
 - Weekly assignments
 - A mix of pencil and paper, and programming assignments
 - No extensions. Homework due dates are strict.
- **Collaborations:**
 - No collaborations on homework assignments
- **Programming language:**
 - C/C++
 - g++ compiler under UNIX

Exams

- **Midterm**
 - 20 % of the grade
 - In-class
- **Final**
 - 25 % of the grade
 - Cumulative exam

Academic honesty

- All the work in this course should be **done independently**.
- **Collaborations on homework assignments, quizzes and exams are not permitted.**
- Cheating and any other anti-intellectual behavior, including giving your work to someone else, will be dealt with severely.
- **Academic Integrity Code** for the Faculty and College of Arts and Sciences:
 - <http://www.fcas.pitt.edu/academicintegrity.html>

Artificial Intelligence

- The field of **Artificial intelligence**:
 - The design and study of computer systems that behave intelligently
- **AI programs**:
 - Go beyond numerical computations and manipulations
 - Focus on problems that require reasoning (intelligence)
- **Two aspects of AI research**:
 - Engineering
 - solving of hard problems
 - Cognitive
 - Understanding the nature of human intelligence


Intelligence and machines

- **Symbolic system hypothesis** (Newell and Simon)
 - Intelligence is substrate neutral;
 - A physical symbol system has necessary and sufficient means for general intelligent action.
- **Biological substrate only** (John Searle, philosopher).
 - Intelligence is substrate dependent. The material humans are made of is fundamental for our intelligence. Thinking is possible only in special machines – living ones made of proteins.
- Other researchers believe that **sub-symbolic processing** (signal processing) may be needed to replicate intelligence.

Turing test

How to test the “intelligence” of a program?

- **Behavioral view of intelligence**
 - A behavior capable of fooling a human interrogator



- Acting humanly is sufficient to pass the test.
- Is it necessary the AI system also thinks humanly?

Eliza program

- **Eliza, the computer therapist**, created by Joseph Weizenbaum in 1966 at MIT, is one of the most famous early AI programs.
- Eliza functions by "twisting the statements of her 'patients' back at them in the classic manner of a non-directive psychotherapist."
- The fact that it understands the subject's statements is an illusion. Surprisingly, many users were taking its performance quite seriously.
- **You can run Eliza at:**
 - <http://www-ai.ijs.si/eliza/eliza.html>
- **Info:**
 - <http://web.mit.edu/STS001/www/Team7/eliza.html>

Eliza program. Sample dialogue.

Eliza: Hello. I am ELIZA. How can I help you?

You: I am frustrated by the traffic I have to face every morning .

Eliza: How long have you been frustrated by the traffic you have to face every morning?

You: For about a year now.

Eliza: Please go on.

You: Why should I go on? Give me some advice.

Eliza: Can you elaborate on that?

You: Why? Give me some solution.

Eliza: Can you elaborate on that?

You: It is obvious you cannot pass the Turing test

Eliza: Oh, i cant pass the turing test.

You: That is correct.

Eliza: Please go on.


...

Try it yourself at: <http://www-ai.ijs.si/eliza/eliza.html>

What is Artificial Intelligence ?

Four different views on what makes an AI system!! Depends on what matters more in the evaluation.

- **Reasoning vs. Behavior**



- the **computational process** or the **end-product** matters

- **Human performance vs. Rationality**

- Compare against human model (with its weaknesses) or a **normative “ideal”** model (rational system)

Some AI definitions

	Human	Rational
Think	“The exciting new effort to make computers think ... <i>machines with minds</i>, in the full and literal sense” (Haugeland, 1985) “[The automation of] activities that we associate with human thinking, activities such as decision-making, problem solving, learning ...” (Bellman, 1978)	“The study of mental faculties through the use of computational models” (Charniak and McDermott, 1985) “The study of the computations that make it possible to perceive, reason, and act” (Winston, 1992)
Act	“The art of creating machines that perform functions that require intelligence when performed by people” (Kurzweil, 1990) “The study of how to make computers do things at which, at the moment, people are better” (Rich and Knight, 1991)	“A field of study that seeks to explain and emulate intelligent behavior in terms of computational processes” (Schalkoff, 1990) “The branch of computer science that is concerned with the automation of intelligent behavior” (Luger and Stubblefield, 1993)

CS 1571 Intro to AI
M. Hauskrecht

Rational agents

- The textbook we use adopts the rational agent perspective
 - **How to design a rational agent?**
- **Agent:** an entity that perceives and acts
 - On abstract level the agent maps percepts to actions

$$f : \text{Percepts} \rightarrow \text{Actions}$$
- **Design goal:** for any given environment find the agent that performs the best
- **Caveat:** The design may be limited by resources: memory, time
 - Find agents with best resource-performance trade-off

History of AI

- **Artificial Intelligence** – name adopted at Dartmouth conference in 1956
- “Contemporary” AI starts in 20th century (1940s),
But the origins go back many years.

Two sources motivating AI:

- **Artificial people.**
 - Beings or devices capable of substituting or replacing humans in various activities.
- **Mathematical models of reasoning.**
 - Formal models of thought and reasoning.

Before AI. Artificial people.

Beings or devices capable of substituting or replacing humans in various activities

- **Legends, stories:**
 - **Androids** (artificial people):
 - Android constructed by Albert the Great (13-th century)
 - Golem: made from clay, household chores (14-th century)
 - **Homunkulus** – a human-like being created in other than natural way (Paracelsus, 16-th century)
- **Mechanical people** capable of writing, drawing, playing instruments (18-th century)
- **Kempelen’s chess machine** (18-th century). Fraud: a chess player hidden inside the machine.
- **Robots.** Drama R.U.R. by K. Capek (early 20th century)

Before AI. Models of reasoning.

- Philosophers and mathematicians worked on **models of reasoning and thought**.

Timeline:

- **Aristotle** (384-322 B.C), ancient Greece, philosopher
 - Tried to explain and codify certain types of **deductive reasoning** he called syllogisms.
- **George Boole** (1854)
 - Foundations of **propositional logic**.
 - Formal language for making logical inferences.
- **Gottlieb Frege** (end of 19-th century).
 - **First order logic**.

The beginnings of AI (40s-50s).

Two streams:

- **Neural network approach** (McCulloch and Pitts 1943).
 - Boolean model of a human brain.
- **Programs capable of simple reasoning tasks**:
 - chess programs (Shannon 1950, Newell, Shaw & Simon 1958)
 - checkers (Samuel 1959)
 - Theorem prover in geometry (Gelernter 1959)
 - Logic Theorist (Newell, Shaw & Simon 1957). Used propositional logic to prove theorems.
- **Dartmouth meeting (1956)**, the name **Artificial Intelligence** adopted (due to John McCarthy)

60s.

Developments in the two streams:

- **Neural network models for learning and recognition**
 - Build on McCulloch and Pitts' work (1943)
 - **Objective:** replicate self-organization and subsequently phenomenon intelligence
 - **Adaline networks** (Widrow, Hoff 1960)
 - **Perceptrons** (Rosenblatt 1961)
 - Minsky and Papert (1969) – strong critique of perceptrons, it killed the area for a decade
- **Symbolic problem solvers:**
 - **General problem solver** (Newell, Simon) – think humanly
 - **LISP** – AI-specific programming language
 - **Micro-worlds** – focus on problem-solving in restricted worlds (e.g. blocks world)

70s. Knowledge-based system era.

- Early AI systems did not scale-up well to large applications
- The need for background knowledge

Edward Feigenbaum: “**knowledge is the power**”

Power of the system derived from the knowledge it uses

- Expert systems: obtain the knowledge from experts in the field, and replicate their problem-solving

Examples of KB systems:

- **Dendral** system (Buchanan et al.). Molecular structure elicitation from mass spectrometer readings.
- **Mycin.** Diagnosis of bacterial infections.
- **Internist** (Pople, Myers, Miller). Medical diagnosis.

80s. AI goes commercial.

AI becomes an industry

- Many tools for the design of KB systems were developed

Revival of neural network (connectionist) approach.

- **Multi-layer neural networks**
 - Modeling and learning of non-linear functions.
 - Back-propagation algorithm (learning)

Failure of AI in 80s

- High expectations in very short time
- Computational complexity: some problems are intrinsically hard
- Modeling uncertainty
- Separation of connectionist - logic approaches.

90s. Moving ahead

- **Modeling uncertainty** (a breakthrough in late 80s)
 - Bayesian belief networks, graphical models.
 - Speech recognition.
- **Machine learning and data mining**
 - Analysis of large volumes of data
 - Finding patterns in data
 - Learning to predict, act
- **Autonomous agents** with intelligence:
 - Software agents
 - Robots

AI today (where are we?)

AI is more rigorous and depends strongly on: applied math, statistics, probability, control and decision theories

Recent theoretical advances and solutions:

- Methods for dealing with uncertainty
- Planning
- Learning
- Optimizations

Applications:

- Focus on **partial intelligence** (not all human capabilities)
- Systems with components of intelligence in a specific application area; not general multi-purpose intelligent systems