

# CS 1571 Introduction to AI

## Lecture 17

### First-order logic

**Milos Hauskrecht**  
[milos@cs.pitt.edu](mailto:milos@cs.pitt.edu)  
5329 Sennott Square

### Simulated annealing competition

#### Results:

- Baer, Joshua R
- Miller, Michael P
- Matchett, Richard J

## Limitations of propositional logic

World we want to represent and reason about consists of a number of objects with variety of properties and relations among them

### Propositional logic:

- Represents statements about the world without reflecting this structure and without modeling these entities explicitly

### Consequence:

- some knowledge is hard or impossible to encode in the propositional logic.
- Two cases that are hard to represent:
  - **Statements about similar objects, relations**
  - **Statements referring to groups of objects.**

## Limitations of propositional logic

- **Statements about similar objects and relations needs to be enumerated**
- **Example:** Seniority of people domain

**Assume we have:** *John is older than Mary*  
*Mary is older than Paul*

**To derive** *John is older than Paul* we need:

*John is older than Mary*  $\wedge$  *Mary is older than Paul*  
 $\Rightarrow$  *John is older than Paul*

**Assume we add another fact:** *Jane is older than Mary*

**To derive** *Jane is older than Paul* we need:

*Jane is older than Mary*  $\wedge$  *Mary is older than Paul*  
 $\Rightarrow$  *Jane is older than Paul*

### What is the problem?

## Limitations of propositional logic

- **Statements about similar objects and relations needs to be enumerated**

- **Example:** Seniority of people domain

**Assume we have:** *John is older than Mary*  
*Mary is older than Paul*

**To derive** *John is older than Paul* we need:

*John is older than Mary*  $\wedge$  *Mary is older than Paul*  
 $\Rightarrow$  *John is older than Paul*

**Assume we add another fact:** *Jane is older than Mary*

**To derive** *Jane is older than Paul* we need:

*Jane is older than Mary*  $\wedge$  *Mary is older than Paul*  
 $\Rightarrow$  *Jane is older than Paul*

**Problem:** KB grows large

## Limitations of propositional logic

- **Statements about similar objects and relations needs to be enumerated**

- **Example:** Seniority of people domain

For inferences we need:

*John is older than Mary*  $\wedge$  *Mary is older than Paul*  
 $\Rightarrow$  *John is older than Paul*

*Jane is older than Mary*  $\wedge$  *Mary is older than Paul*  
 $\Rightarrow$  *Jane is older than Paul*

- **Problem:** if we have many people and facts about their seniority we need represent many rules like this to allow inferences
- **Possible solution: ??**

## Limitations of propositional logic

- **Statements about similar objects and relations needs to be enumerated**

- **Example:** Seniority of people domain

For inferences we need:

*John is older than Mary*  $\wedge$  *Mary is older than Paul*

$\Rightarrow$  *John is older than Paul*

*Jane is older than Mary*  $\wedge$  *Mary is older than Paul*

$\Rightarrow$  *Jane is older than Paul*

- **Problem:** if we have many people and facts about their seniority we need represent many rules like this to allow inferences
- **Possible solution:** **introduce variables**

*PersA* is older than *PersB*  $\wedge$  *PersB* is older than *PersC*

$\Rightarrow$  *PersA* is older than *PersC*

## Limitations of propositional logic

- **Statements referring to groups of objects require exhaustive enumeration of objects**

- **Example:**

Assume we want to express *Every student likes vacation*

Doing this in propositional logic would require to include statements about every student

*John likes vacation*  $\wedge$

*Mary likes vacation*  $\wedge$

*Ann likes vacation*  $\wedge$

...

- **Solution:** Allow quantification in statements

## First-order logic (FOL)

- More expressive than **propositional logic**
- **Eliminates deficiencies of PL by:**
  - Representing objects, their properties, relations and statements about them;
  - Introducing variables that refer to an arbitrary objects and can be substituted by a specific object
  - Introducing quantifiers allowing us to make statements over groups objects without the need to represent each of them separately

## Logic

**Logic** is defined by:

- **A set of sentences**
  - A sentence is constructed from a set of primitives according to syntax rules.
- **A set of interpretations**
  - An interpretation gives a semantic to primitives. It associates primitives with objects, values in the real world.
- **The valuation (meaning) function  $V$** 
  - Assigns a truth value to a given sentence under some interpretation

$$V : \text{sentence} \times \text{interpretation} \rightarrow \{True, False\}$$

## First-order logic. Syntax.

**Term** - syntactic entity for representing objects

### Terms in FOL:

- **Constant symbols:** represent specific objects
  - E.g. *John*, *France*, *car89*
- **Variables:** represent objects of a certain type (type = domain of discourse)
  - E.g. *x*, *y*, *z*
- **Functions** applied to one or more terms
  - E.g. *father-of* (*John*)  
*father-of*(*father-of*(*John*))

## First order logic. Syntax.

### Sentences in FOL:

- **Atomic sentences:**
  - A **predicate symbol** applied to 0 or more terms

#### Examples:

*Red*(*car12*),  
*Sister*(*Amy*, *Jane*);  
*Manager*(*father-of*(*John*));

- $t_1 = t_2$  **equivalence** of terms

#### Example:

*John* = *father-of*(*Peter*)

## First order logic. Syntax.

### Sentences in FOL:

- **Complex sentences:**

- Assume  $\phi, \psi$  are sentences in FOL. Then:

$$- (\phi \wedge \psi) \quad (\phi \vee \psi) \quad (\phi \Rightarrow \psi) \quad (\phi \Leftrightarrow \psi) \quad \neg \psi$$

and

$$- \quad \forall x \phi \quad \exists y \phi$$

are sentences

Symbols  $\exists, \forall$

- stand for the **existential** and the **universal** quantifier

## Semantics. Interpretation.

An interpretation  $I$  is defined by a **mapping** to the **domain of discourse D** or **relations on D**

- **domain of discourse:** a set of objects in the world we represent and refer to;

**An interpretation  $I$  maps:**

- Constant symbols to objects in D

$$I(\text{John}) = \text{stick figure}$$

- Predicate symbols to relations, properties on D

$$I(\text{brother}) = \{ \langle \text{stick figure}, \text{stick figure with glasses} \rangle; \langle \text{stick figure}, \text{stick figure with glasses} \rangle; \dots \}$$

- Function symbols to functional relations on D

$$I(\text{father-of}) = \{ \langle \text{stick figure} \rangle \rightarrow \text{stick figure}; \langle \text{stick figure} \rangle \rightarrow \text{stick figure with glasses}; \dots \}$$

## Semantics of sentences.

### Meaning (evaluation) function:

$$V : \text{sentence} \times \text{interpretation} \rightarrow \{\text{True}, \text{False}\}$$

A **predicate**  $\text{predicate}(\text{term-1}, \text{term-2}, \text{term-3}, \text{term-n})$  is true for the interpretation  $I$ , iff the objects referred to by  $\text{term-1}$ ,  $\text{term-2}$ ,  $\text{term-3}$ ,  $\text{term-n}$  are in the relation referred to by  $\text{predicate}$

$$I(\text{John}) = \text{stick figure} \quad I(\text{Paul}) = \text{robot stick figure}$$

$$I(\text{brother}) = \{ \langle \text{stick figure}, \text{robot stick figure} \rangle; \langle \text{robot stick figure}, \text{stick figure} \rangle; \dots \}$$

$$\text{brother}(\text{John}, \text{Paul}) = \langle \text{stick figure}, \text{robot stick figure} \rangle \text{ in } I(\text{brother})$$

$$V(\text{brother}(\text{John}, \text{Paul}), I) = \text{True}$$

## Semantics of sentences.

- **Equality**  $V(\text{term-1} = \text{term-2}, I) = \text{True}$

Iff  $I(\text{term-1}) = I(\text{term-2})$

- **Boolean expressions: standard**

E.g.  $V(\text{sentence-1} \vee \text{sentence-2}, I) = \text{True}$

Iff  $V(\text{sentence-1}, I) = \text{True}$  or  $V(\text{sentence-2}, I) = \text{True}$

- **Quantifications**

$$V(\forall x \phi, I) = \text{True} \quad \text{substitution of } x \text{ with } d$$

Iff for all  $d \in D$   $V(\phi, I[x/d]) = \text{True}$

$$V(\exists x \phi, I) = \text{True}$$

Iff there is a  $d \in D$ , s.t.  $V(\phi, I[x/d]) = \text{True}$



## Sentences with quantifiers

- **Universal quantification**

*All Upitt students are smart*

- **Assume the universe of discourse of  $x$  are Upitt students**

## Sentences with quantifiers

- **Universal quantification**

*All Upitt students are smart*

- **Assume the universe of discourse of  $x$  are Upitt students**

$\forall x \text{ smart}(x)$

## Sentences with quantifiers

- **Universal quantification**

*All Upitt students are smart*

- **Assume the universe of discourse of x are Upitt students**

$$\forall x \text{ smart}(x)$$

- **Assume the universe of discourse of x are students**

## Sentences with quantifiers

- **Universal quantification**

*All Upitt students are smart*

- **Assume the universe of discourse of x are Upitt students**

$$\forall x \text{ smart}(x)$$

- **Assume the universe of discourse of x are students**

$$\forall x \text{ at}(x, \text{Upitt}) \Rightarrow \text{smart}(x)$$

## Sentences with quantifiers

- **Universal quantification**

*All Upitt students are smart*

- **Assume the universe of discourse of x are Upitt students**

$$\forall x \text{ smart}(x)$$

- **Assume the universe of discourse of x are students**

$$\forall x \text{ at}(x, \text{Upitt}) \Rightarrow \text{smart}(x)$$

- **Assume the universe of discourse of x are people**

## Sentences with quantifiers

- **Universal quantification**

*All Upitt students are smart*

- **Assume the universe of discourse of x are Upitt students**

$$\forall x \text{ smart}(x)$$

- **Assume the universe of discourse of x are students**

$$\forall x \text{ at}(x, \text{Upitt}) \Rightarrow \text{smart}(x)$$

- **Assume the universe of discourse of x are people**

$$\forall x \text{ student}(x) \wedge \text{at}(x, \text{Upitt}) \Rightarrow \text{smart}(x)$$

## Sentences with quantifiers

- **Universal quantification**

*All Upitt students are smart*

- **Assume the universe of discourse of  $x$  are Upitt students**

$$\forall x \text{ smart}(x)$$

- **Assume the universe of discourse of  $x$  are students**

$$\forall x \text{ at}(x, \text{Upitt}) \Rightarrow \text{smart}(x)$$

- **Assume the universe of discourse of  $x$  are people**

$$\forall x \text{ student}(x) \wedge \text{at}(x, \text{Upitt}) \Rightarrow \text{smart}(x)$$

Typically the universal quantifier connects with an implication

## Sentences with quantifiers

- **Existential quantification**

*Someone at CMU is smart*

- **Assume the universe of discourse of  $x$  are CMU affiliates**

## Sentences with quantifiers

- **Existential quantification**

*Someone at CMU is smart*

- **Assume the universe of discourse of x are CMU affiliates**

$$\exists x \text{ smart}(x)$$

## Sentences with quantifiers

- **Existential quantification**

*Someone at CMU is smart*

- **Assume the universe of discourse of x are CMU affiliates**

$$\exists x \text{ smart}(x)$$

- **Assume the universe of discourse of x are people**

## Sentences with quantifiers

- **Existential quantification**

*Someone at CMU is smart*

- **Assume the universe of discourse of x are CMU affiliates**

$$\exists x \text{ smart}(x)$$

- **Assume the universe of discourse of x are people**

$$\exists x \text{ at}(x, \text{CMU}) \wedge \text{smart}(x)$$

## Sentences with quantifiers

- **Existential quantification**

*Someone at CMU is smart*

- **Assume the universe of discourse of x are CMU affiliates**

$$\exists x \text{ smart}(x)$$

- **Assume the universe of discourse of x are people**

$$\exists x \text{ at}(x, \text{CMU}) \wedge \text{smart}(x)$$

Typically the existential quantifier connects with a conjunction

## Translation with quantifiers

- Assume two predicates  $S(x)$  and  $P(x)$

### Universal statements typically tie with implications

- All  $S(x)$  is  $P(x)$ 
  - $\forall x (S(x) \rightarrow P(x))$
- No  $S(x)$  is  $P(x)$ 
  - $\forall x (S(x) \rightarrow \neg P(x))$

### Existential statements typically tie with conjunction

- Some  $S(x)$  is  $P(x)$ 
  - $\exists x (S(x) \wedge P(x))$
- Some  $S(x)$  is not  $P(x)$ 
  - $\exists x (S(x) \wedge \neg P(x))$

## Nested quantifiers

- More than one quantifier may be necessary to capture the meaning of a statement in the predicate logic.

### Example:

- There is a person who loves everybody.
- **Translation:**
  - Assume:
    - Variables  $x$  and  $y$  denote people
    - A predicate  $L(x,y)$  denotes: “ $x$  loves  $y$ ”
- Then we can write in the predicate logic:
  - ?

## Nested quantifiers

- More than one quantifier may be necessary to capture the meaning of a statement in the predicate logic.

### Example:

- There is a person who loves everybody.
- **Translation:**
  - Assume:
    - Variables  $x$  and  $y$  denote people
    - A predicate  $L(x,y)$  denotes: “ $x$  loves  $y$ ”
- Then we can write in the predicate logic:  
$$\exists x \forall y L(x,y)$$

## Translation exercise

### Suppose:

- Variables  $x,y$  denote people
- $L(x,y)$  denotes “ $x$  loves  $y$ ”.

### Translate:

- Everybody loves Raymond. ?



## Translation exercise

### Suppose:

- Variables  $x, y$  denote people
- $L(x, y)$  denotes “ $x$  loves  $y$ ”.

### Translate:

- Everybody loves Raymond.  $\forall x L(x, \text{Raymond})$
- Everybody loves somebody.  $?$

## Translation exercise

### Suppose:

- Variables  $x, y$  denote people
- $L(x, y)$  denotes “ $x$  loves  $y$ ”.

### Translate:

- Everybody loves Raymond.  $\forall x L(x, \text{Raymond})$
- Everybody loves somebody.  $\forall x \exists y L(x, y)$
- There is somebody whom everybody loves.  $?$

## Translation exercise

### Suppose:

- Variables  $x, y$  denote people
- $L(x, y)$  denotes “ $x$  loves  $y$ ”.

### Translate:

- Everybody loves Raymond.  $\forall x L(x, \text{Raymond})$
- Everybody loves somebody.  $\forall x \exists y L(x, y)$
- There is somebody whom everybody loves.  $\exists y \forall x L(x, y)$
- There is somebody who Raymond doesn't love. ?

## Translation exercise

### Suppose:

- Variables  $x, y$  denote people
- $L(x, y)$  denotes “ $x$  loves  $y$ ”.

### Translate:

- Everybody loves Raymond.  $\forall x L(x, \text{Raymond})$
- Everybody loves somebody.  $\forall x \exists y L(x, y)$
- There is somebody whom everybody loves.  $\exists y \forall x L(x, y)$
- There is somebody who Raymond doesn't love.  
 $\exists y \neg L(\text{Raymond}, y)$
- There is somebody whom no one loves. ?

## Translation exercise

### Suppose:

- Variables  $x, y$  denote people
- $L(x, y)$  denotes “ $x$  loves  $y$ ”.

### Translate:

- Everybody loves Raymond.  $\forall x L(x, \text{Raymond})$
- Everybody loves somebody.  $\forall x \exists y L(x, y)$
- There is somebody whom everybody loves.  $\exists y \forall x L(x, y)$
- There is somebody who Raymond doesn't love.  
 $\exists y \neg L(\text{Raymond}, y)$
- There is somebody whom no one loves.  
 $\exists y \forall x \neg L(x, y)$

## Order of quantifiers

- **Order of quantifiers of the same type does not matter**

*For all  $x$  and  $y$ , if  $x$  is a parent of  $y$  then  $y$  is a child of  $x$*

$$\forall x, y \text{ parent } (x, y) \Rightarrow \text{child } (y, x)$$

$$\forall y, x \text{ parent } (x, y) \Rightarrow \text{child } (y, x)$$

- **Order of different quantifiers changes the meaning**

$$\forall x \exists y \text{ loves } (x, y)$$

## Order of quantifiers

- **Order of quantifiers of the same type does not matter**

*For all  $x$  and  $y$ , if  $x$  is a parent of  $y$  then  $y$  is a child of  $x$*

$$\forall x, y \text{ parent } (x, y) \Rightarrow \text{child } (y, x)$$

$$\forall y, x \text{ parent } (x, y) \Rightarrow \text{child } (y, x)$$

- **Order of different quantifiers changes the meaning**

$$\forall x \exists y \text{ loves } (x, y)$$

*Everybody loves somebody*

$$\exists y \forall x \text{ loves } (x, y)$$

## Order of quantifiers

- **Order of quantifiers of the same type does not matter**

*For all  $x$  and  $y$ , if  $x$  is a parent of  $y$  then  $y$  is a child of  $x$*

$$\forall x, y \text{ parent } (x, y) \Rightarrow \text{child } (y, x)$$

$$\forall y, x \text{ parent } (x, y) \Rightarrow \text{child } (y, x)$$

- **Order of different quantifiers changes the meaning**

$$\forall x \exists y \text{ loves } (x, y)$$

*Everybody loves somebody*

$$\exists y \forall x \text{ loves } (x, y)$$

*There is someone who is loved by everyone*

## Connections between quantifiers

*Everyone likes ice cream*

?

## Connections between quantifiers

*Everyone likes ice cream*

$\forall x \text{ likes } (x, \text{IceCream})$

## Connections between quantifiers

*Everyone likes ice cream*

$\forall x \text{ likes } (x, \text{IceCream})$

Is it possible to convey the same meaning using an existential quantifier ?

## Connections between quantifiers

*Everyone likes ice cream*

$\forall x \text{ likes } (x, \text{IceCream})$

Is it possible to convey the same meaning using an existential quantifier ?

*There is no one who does not like ice cream*

$\neg \exists x \neg \text{likes } (x, \text{IceCream})$

A universal quantifier in the sentence can be expressed using an existential quantifier !!!

## Connections between quantifiers

*Someone likes ice cream*

?

## Connections between quantifiers

*Someone likes ice cream*

$\exists x \text{ likes } (x, \text{IceCream})$

Is it possible to convey the same meaning using a universal quantifier ?

## Connections between quantifiers

*Someone likes ice cream*

$\exists x \text{ likes } (x, \text{IceCream})$

Is it possible to convey the same meaning using a universal quantifier ?

*Not everyone does not like ice cream*

$\neg \forall x \neg \text{likes } (x, \text{IceCream})$

An existential quantifier in the sentence can be expressed using a universal quantifier !!!

## Representing knowledge in FOL

**Example:**

**Kinship domain**

- **Objects:** people

*John, Mary, Jane, ...*

- **Properties:** gender

*Male(x), Female(x)*

- **Relations:** parenthood, brotherhood, marriage

*Parent(x, y), Brother(x, y), Spouse(x, y)*

- **Functions:** mother-of (one for each person x)

*MotherOf(x)*



## Kinship domain in FOL

**Relations between predicates and functions:** write down what we know about them; how relate to each other.

- Male and female are disjoint categories

$$\forall x \text{ Male}(x) \Leftrightarrow \neg \text{Female}(x)$$

- Parent and child relations are inverse

$$\forall x, y \text{ Parent}(x, y) \Leftrightarrow \text{Child}(y, x)$$

- A grandparent is a parent of parent

$$\forall g, c \text{ Grandparent}(g, c) \Leftrightarrow \exists p \text{ Parent}(g, p) \wedge \text{Parent}(p, c)$$

- A sibling is another child of one's parents

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow (x \neq y) \wedge \exists p \text{ Parent}(p, x) \wedge \text{Parent}(p, y)$$

- And so on ....