

CS 1571 Introduction to AI

Lecture 12

Propositional logic

Milos Hauskrecht

milos@cs.pitt.edu

5329 Sennott Square

Logic

A formal language for expressing knowledge and ways of reasoning.

Logic is defined by:

- **A set of sentences**
 - A sentence is constructed from a set of primitives according to syntax rules.
- **A set of interpretations**
 - An interpretation gives a semantic to primitives. It associates primitives with values.
- **The valuation (meaning) function V**
 - Assigns a value (typically the truth value) to a given sentence under some interpretation
$$V : \text{sentence} \times \text{interpretation} \rightarrow \{True, False\}$$

Propositional logic. Syntax

- **Formally propositional logic P:**
 - Is defined by Syntax+interpretation+semantics of P

Syntax:

- **Symbols (alphabet)** in P:
 - **Constants:** *True, False*
 - **Propositional symbols**

Examples:

- P
- *Pitt is located in the Oakland section of Pittsburgh.,*
- *It rains outside,* etc.
- **A set of connectives:**

$\neg, \wedge, \vee, \Rightarrow, \Leftrightarrow$

Propositional logic. Syntax

Sentences in the propositional logic:

- **Atomic sentences:**
 - **Constructed from constants and propositional symbols**
 - True, False are (atomic) sentences
 - P, Q or *Light in the room is on, It rains outside* are (atomic) sentences
- **Composite sentences:**
 - **Constructed from valid sentences via connectives**
 - If A, B are sentences then
$$\neg A \quad (A \wedge B) \quad (A \vee B) \quad (A \Rightarrow B) \quad (A \Leftrightarrow B)$$
or
$$(A \vee B) \wedge (A \vee \neg B)$$
are sentences

Semantic: propositional symbols

The **meaning (value)** of the propositional symbol for a specific interpretation is given by its interpretation

I: *Light in the room is on* -> **True**, *It rains outside* -> **False**

$V(\text{Light in the room is on}, \mathbf{I}) = ?$

$V(\text{It rains outside}, \mathbf{I}) = ?$

$V(\text{Light in the room is on} \wedge \text{It rains outside}, \mathbf{I}) = ?$

Semantic: propositional symbols

The **meaning (value)** of the propositional symbol for a specific interpretation is given by its interpretation

I: *Light in the room is on* -> **True**, *It rains outside* -> **False**

$V(\text{Light in the room is on}, \mathbf{I}) = \text{True}$

$V(\text{It rains outside}, \mathbf{I}) = \text{False}$

$V(\text{Light in the room is on} \wedge \text{It rains outside}, \mathbf{I}) = \text{False}$

Logical inference problem

Logical inference problem:

- **Given:**
 - a knowledge base KB (a set of sentences) and
 - a sentence α (called **a theorem**),
- **Does a KB semantically entail α ?** $KB \models \alpha$?

In other words: In all interpretations in which sentences in the KB are true, is also α true?

Sound and complete inference.

Inference is a process by which conclusions are reached.

- We want to implement the inference process on a computer !!

Assume an **inference procedure i** that

- derives a sentence α from the KB : $KB \vdash_i \alpha$

Properties of the inference procedure in terms of entailment

- **Soundness:** An inference procedure is **sound**
- ?
- **Completeness:** An inference procedure is **complete**
- ?

Sound and complete inference.

Inference is a process by which conclusions are reached.

- We want to implement the inference process on a computer !!

Assume an **inference procedure** i that

- derives a sentence α from the KB : $KB \vdash_i \alpha$

Properties of the inference procedure in terms of entailment

- **Soundness:** An inference procedure is **sound**

If $KB \vdash_i \alpha$ then it is true that $KB \models \alpha$

- **Completeness:** An inference procedure is **complete**

If $KB \models \alpha$ then it is true that $KB \vdash_i \alpha$

Solving logical inference problem

In the following:

How to design the procedure that answers:

$$KB \models \alpha ?$$

Three approaches:

- **Truth-table approach**
- **Inference rules**
- **Conversion to the inverse SAT problem**
 - **Resolution-refutation**

Truth-table approach

Problem: $KB \models \alpha$?

- We need to check all possible interpretations for which the KB is true (models of KB) whether α is true for each of them

Truth table:

- enumerates truth values of sentences for all possible interpretations (assignments of True/False to propositional symbols)

Example:

		KB		α
P	Q	$P \vee Q$	$P \Leftrightarrow Q$	$(P \vee \neg Q) \wedge Q$
True	True	True	True	True
True	False	True	False	False
False	True	True	False	False
False	False	False	True	False

Truth-table approach

Problem: $KB \models \alpha$?

- We need to check all possible interpretations for which the KB is true (models of KB) whether α is true for each of them

Truth table:

- enumerates truth values of sentences for all possible interpretations (assignments of True/False to propositional symbols)

Example:

		KB		α
P	Q	$P \vee Q$	$P \Leftrightarrow Q$	$(P \vee \neg Q) \wedge Q$
True	True	True	True	True
True	False	True	False	False
False	True	True	False	False
False	False	False	True	False



Limitations of the truth table approach.

$$KB \models \alpha ?$$

What is the computational complexity of the truth table approach?

Exponential in the number of the proposition symbols

2^n Rows in the table has to be filled

But typically only for a small subset of rows the KB is true

Limitations of the truth table approach.

$$KB \models \alpha ?$$

Problem with the truth table approach:

- the truth table is **exponential** in the number of propositional symbols (we checked all assignments)
- KB is true on only a smaller subset

Limitation of the truth table approach.

$$KB \models \alpha ?$$

Problem with the truth table approach:

- the truth table is **exponential** in the number of propositional symbols (we checked all assignments)
- KB is true only on a small subset interpretations

How to make the process more efficient?

Inference rules approach

$$KB \models \alpha ?$$

Problem with the truth table approach:

- the truth table is **exponential** in the number of propositional symbols (we checked all assignments)
- KB is true on only a smaller subset

How to make the process more efficient?

Solution: check only entries for which KB is *True*.

This is the idea behind the inference rules approach

Inference rules:

- Represent sound inference patterns repeated in inferences
- Can be used to generate new (sound) sentences from the existing ones

Inference rules for logic

- **Modus ponens**

$$\frac{A \Rightarrow B, \quad A}{B}$$

premise
conclusion

- If both sentences in the premise are true then conclusion is true.
- The modus ponens inference rule is **sound**.
 - We can prove this through the truth table.

<i>A</i>	<i>B</i>	<i>A</i> \Rightarrow <i>B</i>
<i>False</i>	<i>False</i>	<i>True</i>
<i>False</i>	<i>True</i>	<i>True</i>
<i>True</i>	<i>False</i>	<i>False</i>
<i>True</i>	<i>True</i>	<i>True</i>

Inference rules for logic

- **And-elimination**

$$\frac{A_1 \wedge A_2 \wedge \dots \wedge A_n}{A_i}$$

- **And-introduction**

$$\frac{A_1, A_2, \dots, A_n}{A_1 \wedge A_2 \wedge \dots \wedge A_n}$$

- **Or-introduction**

$$\frac{A_i}{A_1 \vee A_2 \vee \dots \vee A_i \vee \dots \vee A_n}$$

Inference rules for logic

- **Elimination of double negation**

$$\frac{\neg\neg A}{A}$$


- **Unit resolution**

$$\frac{A \vee B, \neg A}{B}$$

- **Resolution**

$$\frac{A \vee B, \neg B \vee C}{A \vee C}$$

A special
case of



- All of the above inference rules **are sound**. We can prove this through the truth table, similarly to the **modus ponens** case.

Example. Inference rules approach.

KB: $P \wedge Q$ $P \Rightarrow R$ $(Q \wedge R) \Rightarrow S$ **Theorem:** S

1. $P \wedge Q$
2. $P \Rightarrow R$
3. $(Q \wedge R) \Rightarrow S$

Example. Inference rules approach.

KB: $P \wedge Q$ $P \Rightarrow R$ $(Q \wedge R) \Rightarrow S$ **Theorem:** S

1. $P \wedge Q$
2. $P \Rightarrow R$
3. $(Q \wedge R) \Rightarrow S$
4. P

From 1 and And-elim

$$\frac{A_1 \wedge A_2 \wedge \dots \wedge A_n}{A_i}$$

Example. Inference rules approach.

KB: $P \wedge Q$ $P \Rightarrow R$ $(Q \wedge R) \Rightarrow S$ **Theorem:** S

1. $P \wedge Q$
2. $P \Rightarrow R$
3. $(Q \wedge R) \Rightarrow S$
4. P
5. R

From 2,4 and Modus ponens

$$\frac{A \Rightarrow B, \quad A}{B}$$

Example. Inference rules approach.

KB: $P \wedge Q$ $P \Rightarrow R$ $(Q \wedge R) \Rightarrow S$ **Theorem:** S

1. $P \wedge Q$
2. $P \Rightarrow R$
3. $(Q \wedge R) \Rightarrow S$
4. P
5. R
6. Q

From 1 and And-elim

$$\frac{A_1 \wedge A_2 \wedge \dots \wedge A_n}{A_i}$$

Example. Inference rules approach.

KB: $P \wedge Q$ $P \Rightarrow R$ $(Q \wedge R) \Rightarrow S$ **Theorem:** S

1. $P \wedge Q$
2. $P \Rightarrow R$
3. $(Q \wedge R) \Rightarrow S$
4. P
5. R
6. Q
7. $(Q \wedge R)$

From 5,6 and And-introduction

$$\frac{A_1, A_2, \dots, A_n}{A_1 \wedge A_2 \wedge \dots \wedge A_n}$$

Example. Inference rules approach.

KB: $P \wedge Q$ $P \Rightarrow R$ $(Q \wedge R) \Rightarrow S$ **Theorem:** S

1. $P \wedge Q$
2. $P \Rightarrow R$
3. $(Q \wedge R) \Rightarrow S$
4. P
5. R
6. Q
7. $(Q \wedge R)$
8. S

$$\frac{A \Rightarrow B, \quad A}{B}$$

From 7,3 and Modus ponens

Proved: S

Example. Inference rules approach.

KB: $P \wedge Q$ $P \Rightarrow R$ $(Q \wedge R) \Rightarrow S$ **Theorem:** S

1. $P \wedge Q$
2. $P \Rightarrow R$
3. $(Q \wedge R) \Rightarrow S$
4. P
5. R
6. Q
7. $(Q \wedge R)$
8. S

From 1 and And-elim

From 2,4 and Modus ponens

From 1 and And-elim

From 5,6 and And-introduction

From 7,3 and Modus ponens


Proved: S

Inference rules

- To show that theorem α holds for a KB
 - we may need to apply a number of sound inference rules

Problem: many possible inference rules to be applied next

Looks familiar?




Logic inferences and search

- To show that theorem α holds for a KB
 - we may need to apply a number of sound inference rules

Problem: many possible rules to can be applied next

Looks familiar?



This is an instance of a search problem:

Truth table method (from the search perspective):

- blind enumeration and checking

Logic inferences and search

Inference rule method as a search problem:

- **State:** a set of sentences that are known to be true
- **Initial state:** a set of sentences in the KB
- **Operators:** applications of inference rules
 - Allow us to add new sound sentences to old ones
- **Goal state:** a theorem α is derived from KB

Logic inference:

- **Proof:** A sequence of sentences that are immediate consequences of applied inference rules
- **Theorem proving:** process of finding a proof of theorem

Normal forms

Sentences in the propositional logic can be transformed into one of the normal forms. This can simplify the inferences.

Normal forms used:

Conjunctive normal form (CNF)

- conjunction of clauses (clauses include disjunctions of literals)

$$(A \vee B) \wedge (\neg A \vee \neg C \vee D)$$

Disjunctive normal form (DNF)

- Disjunction of terms (terms include conjunction of literals)

$$(A \wedge \neg B) \vee (\neg A \wedge C) \vee (C \wedge \neg D)$$

Conversion to a CNF

Assume: $\neg(A \Rightarrow B) \vee (C \Rightarrow A)$

1. Eliminate $\Rightarrow, \Leftrightarrow$

$$\neg(\neg A \vee B) \vee (\neg C \vee A)$$

2. Reduce the scope of signs through DeMorgan Laws and double negation

$$(A \wedge \neg B) \vee (\neg C \vee A)$$

3. Convert to CNF using the associative and distributive laws

$$(A \vee \neg C \vee A) \wedge (\neg B \vee \neg C \vee A)$$

and

$$(A \vee \neg C) \wedge (\neg B \vee \neg C \vee A)$$

Satisfiability (SAT) problem

Determine whether a sentence in the conjunctive normal form (CNF) is satisfiable (I.e. can evaluate to true)

$$(P \vee Q \vee \neg R) \wedge (\neg P \vee \neg R \vee S) \wedge (\neg P \vee Q \vee \neg T) \dots$$

It is an instance of a constraint satisfaction problem:

- **Variables:**
 - Propositional symbols (P, R, T, S)
 - Values: *True, False*
- **Constraints:**
 - Every conjunct must evaluate to true, at least one of the literals must evaluate to true
- **A logical inference problem can be solved as a CSP problem. Why?**

Inference problem and satisfiability

Inference problem:

- we want to show that the sentence α is entailed by KB

Satisfiability:

- The sentence is satisfiable if there is some assignment (interpretation) under which the sentence evaluates to true

Connection:

$KB \models \alpha$ if and only if
 $(KB \wedge \neg \alpha)$ is **unsatisfiable**

Consequences:

- inference problem is NP-complete
- programs for solving the SAT problem can be used to solve the inference problem

Universal inference rule: Resolution rule

Sometimes inference rules can be combined into a single rule

Resolution rule

- sound inference rule that works for CNF
- It is complete for **propositional logic (refutation complete)**

$$\frac{A \vee B, \quad \neg A \vee C}{B \vee C}$$

A	B	C	$A \vee B$	$\neg B \vee C$	$A \vee C$
False	False	False	False	True	False
False	False	True	False	True	True
False	True	False	True	False	False
<u>False</u>	<u>True</u>	<u>True</u>	<u>True</u>	<u>True</u>	<u>True</u>
<u>True</u>	<u>False</u>	<u>False</u>	<u>True</u>	<u>True</u>	<u>True</u>
<u>True</u>	<u>False</u>	<u>True</u>	<u>True</u>	<u>True</u>	<u>True</u>
True	True	False	True	False	True
<u>True</u>	<u>True</u>	<u>True</u>	<u>True</u>	<u>True</u>	<u>True</u>

Universal rule: Resolution.

Initial obstacle:

- Repeated application of the resolution rule to a KB in CNF may fail to derive new valid sentences

Example:

We know: $(A \wedge B)$ We want to show: $(A \vee B)$

Resolution rule fails to derive it (**incomplete ??**)

A trick to make things work:

- **proof by contradiction**
 - **Disproving:** $KB, \neg \alpha$
 - **Proves the entailment** $KB \models \alpha$

Resolution algorithm

Algorithm:

- **Convert KB to the CNF form;**
- **Apply iteratively the resolution rule** starting from $KB, \neg \alpha$ (in CNF form)
- **Stop when:**
 - Contradiction (empty clause) is reached:
 - $A, \neg A \rightarrow \mathcal{Q}$
 - proves entailment.
 - No more new sentences can be derived
 - disproves it.

Example. Resolution.

KB: $(P \wedge Q) \wedge (P \Rightarrow R) \wedge [(Q \wedge R) \Rightarrow S]$ **Theorem:** S

Step 1. convert KB to CNF:

- $P \wedge Q \longrightarrow P \wedge Q$
- $P \Rightarrow R \longrightarrow (\neg P \vee R)$
- $(Q \wedge R) \Rightarrow S \longrightarrow (\neg Q \vee \neg R \vee S)$

KB: $P \quad Q \quad (\neg P \vee R) \quad (\neg Q \vee \neg R \vee S)$

Step 2. Negate the theorem to prove it via refutation

$S \longrightarrow \neg S$

Step 3. Run resolution on the set of clauses

$P \quad Q \quad (\neg P \vee R) \quad (\neg Q \vee \neg R \vee S) \quad \neg S$

Example. Resolution.

KB: $(P \wedge Q) \wedge (P \Rightarrow R) \wedge [(Q \wedge R) \Rightarrow S]$ **Theorem:** S

$P \quad Q \quad (\neg P \vee R) \quad (\neg Q \vee \neg R \vee S) \quad \neg S$

Example. Resolution.

KB: $(P \wedge Q) \wedge (P \Rightarrow R) \wedge [(Q \wedge R) \Rightarrow S]$ **Theorem:** S

$P \quad Q \quad (\neg P \vee R) \quad (\neg Q \vee \neg R \vee S) \quad \neg S$
 $\swarrow \quad \searrow$
 R


Example. Resolution.

KB: $(P \wedge Q) \wedge (P \Rightarrow R) \wedge [(Q \wedge R) \Rightarrow S]$ **Theorem:** S

$P \quad Q \quad (\neg P \vee R) \quad (\neg Q \vee \neg R \vee S) \quad \neg S$
 $\swarrow \quad \searrow \quad \swarrow \quad \searrow$
 $R \quad \quad \quad (\neg R \vee S)$

Example. Resolution.

KB: $(P \wedge Q) \wedge (P \Rightarrow R) \wedge [(Q \wedge R) \Rightarrow S]$ **Theorem:** S



Example. Resolution.

KB: $(P \wedge Q) \wedge (P \Rightarrow R) \wedge [(Q \wedge R) \Rightarrow S]$ **Theorem:** S

