

CS 2750 Machine Learning Lecture 4b

Density estimation

Milos Hauskrecht

milos@cs.pitt.edu

5329 Sennott Square

Density estimation

Density estimation: is an unsupervised learning problem

- **Goal:** Learn relations among attributes in the data

Data: $D = \{D_1, D_2, \dots, D_n\}$

$D_i = \mathbf{x}_i$ a vector of attribute values

Attributes:


- modeled by random variables $\mathbf{X} = \{X_1, X_2, \dots, X_d\}$ with
 - Continuous or discrete valued variables

Density estimation: learn the underlying probability
distribution: $p(\mathbf{X}) = p(X_1, X_2, \dots, X_d)$ from \mathbf{D}

Density estimation

Data: $D = \{D_1, D_2, \dots, D_n\}$
 $D_i = \mathbf{x}_i$ a vector of attribute values

Objective: estimate the underlying probability distribution over variables \mathbf{X} , $p(\mathbf{X})$, using examples in D



Standard (iid) assumptions: Samples

- are **independent** of each other
 - come from the same **(identical) distribution** (fixed $p(\mathbf{X})$)
-

Density estimation

Types of density estimation:

Parametric

- the distribution is modeled using a set of parameters Θ
$$\hat{p}(\mathbf{X}) = p(\mathbf{X} | \Theta)$$
- **Example:** mean and covariances of a multivariate normal
- **Estimation:** find parameters Θ describing data D

Non-parametric

- The model of the distribution utilizes all examples in D
 - As if all examples were parameters of the distribution
 - **Examples:** Nearest-neighbor
-

Learning via parameter estimation

In this lecture we consider **parametric density estimation**

Basic settings:

- A set of random variables $\mathbf{X} = \{X_1, X_2, \dots, X_d\}$
- **A model of the distribution** over variables in \mathbf{X}
with parameters $\Theta : \hat{p}(\mathbf{X} | \Theta)$
- **Data** $D = \{D_1, D_2, \dots, D_n\}$

Objective: find parameters Θ such that $p(\mathbf{X} | \Theta)$ fits data D the best

Parameter estimation in statistics

- **Maximum likelihood (ML)**
 - maximize $p(D | \Theta, \xi)$
 - yields: one set of parameters Θ_{ML}
 - the target distribution is approximated as:
$$\hat{p}(\mathbf{X}) = p(\mathbf{X} | \Theta_{ML})$$
 - **Bayesian parameter estimation**
 - uses the posterior distribution over possible parameters
$$p(\Theta | D, \xi) = \frac{p(D | \Theta, \xi) p(\Theta | \xi)}{p(D | \xi)}$$
 - Yields: all possible settings of Θ (and their “weights”)
 - The target distribution is approximated as:
$$\hat{p}(\mathbf{X}) = p(\mathbf{X} | D) = \int p(\mathbf{X} | \Theta) p(\Theta | D, \xi) d\Theta$$
-

Parameter estimation

Other possible criteria:

- **Maximum a posteriori probability (MAP)**

maximize $p(\Theta | D, \xi)$ (mode of the posterior)

– Yields: one set of parameters Θ_{MAP}

– Approximation:

$$\hat{p}(\mathbf{X}) = p(\mathbf{X} | \Theta_{MAP})$$

- **Expected value of the parameter**

$\hat{\Theta} = E(\Theta)$ (mean of the posterior)

– Expectation taken with regard to posterior $p(\Theta | D, \xi)$

– Yields: one set of parameters

– Approximation:

$$\hat{p}(\mathbf{X}) = p(\mathbf{X} | \hat{\Theta})$$

Parameter estimation. Coin example.

Coin example: we have a coin that can be biased

Outcomes: two possible values -- head or tail

Data: D a sequence of outcomes x_i such that

- **head** $x_i = 1$

- **tail** $x_i = 0$

Model: probability of a head θ

probability of a tail $(1 - \theta)$

Objective:

We would like to estimate the probability of a **head** $\hat{\theta}$
from data



Parameter estimation. Example.

- **Assume** the unknown and possibly biased coin
- Probability of the head is θ



- **Data:**

H H T T H H T H T H T T T H T H H H H T H H H H T

– **Heads:** 15

– **Tails:** 10

What would be your estimate of the probability of a head ?

$$\tilde{\theta} = ?$$

Parameter estimation. Example

- **Assume** the unknown and possibly biased coin
- Probability of the head is θ



- **Data:**

H H T T H H T H T H T T T H T H H H H T H H H H T

– **Heads:** 15

– **Tails:** 10

What would be your choice of the probability of a head ?

Solution: use frequencies of occurrences to do the estimate

$$\tilde{\theta} = \frac{15}{25} = 0.6$$

This is **the maximum likelihood estimate** of the parameter θ

Probability of an outcome

Data: D a sequence of outcomes x_i such that

- **head** $x_i = 1$
- **tail** $x_i = 0$



Model: probability of a head θ
probability of a tail $(1 - \theta)$

Assume: we know the probability θ

Probability of an outcome of a coin flip x_i

$$P(x_i | \theta) = \theta^{x_i} (1 - \theta)^{(1 - x_i)} \leftarrow \text{Bernoulli distribution}$$

- Combines the probability of a head and a tail
 - So that x_i is going to pick its correct probability
 - Gives θ for $x_i = 1$
 - Gives $(1 - \theta)$ for $x_i = 0$
-

Probability of a sequence of outcomes.

Data: D a sequence of outcomes x_i such that

- **head** $x_i = 1$
- **tail** $x_i = 0$



Model: probability of a head θ
probability of a tail $(1 - \theta)$

Assume: a sequence of independent coin flips

$D = \text{H H T H T H}$ (encoded as $D = 110101$)

What is the probability of observing the data sequence D :

$$P(D | \theta) = ?$$

Probability of a sequence of outcomes.

Data: D a sequence of outcomes x_i such that

- head $x_i = 1$
- tail $x_i = 0$



Model: probability of a head θ
probability of a tail $(1-\theta)$

Assume: a sequence of coin flips $D = H H T H T H$
encoded as $D = 110101$

What is the probability of observing a data sequence D :

$$P(D | \theta) = \theta\theta(1-\theta)\theta(1-\theta)\theta$$

Probability of a sequence of outcomes.

Data: D a sequence of outcomes x_i such that

- head $x_i = 1$
- tail $x_i = 0$



Model: probability of a head θ
probability of a tail $(1-\theta)$

Assume: a sequence of coin flips $D = H H T H T H$
encoded as $D = 110101$

What is the probability of observing a data sequence D :

$$P(D | \theta) = \theta\theta(1-\theta)\theta(1-\theta)\theta$$

 **likelihood of the data**

Probability of a sequence of outcomes.

Data: D a sequence of outcomes x_i such that

- **head** $x_i = 1$
- **tail** $x_i = 0$



Model: probability of a head θ
probability of a tail $(1-\theta)$

Assume: a sequence of coin flips $D = H H T H T H$
encoded as $D = 110101$

What is the probability of observing a data sequence D :

$$P(D | \theta) = \theta\theta(1-\theta)\theta(1-\theta)\theta$$

$$P(D | \theta) = \prod_{i=1}^6 \theta^{x_i} (1-\theta)^{(1-x_i)}$$

Can be rewritten using the Bernoulli distribution:

The goodness of fit to the data

Learning: we do not know the value of the parameter θ

Our learning goal:

- Find the parameter θ that fits the data D the best?

One solution to the “best”: Maximize the likelihood

$$P(D | \theta) = \prod_{i=1}^n \theta^{x_i} (1-\theta)^{(1-x_i)}$$

Intuition:

- more likely are the data given the model, the better is the fit

Note: Instead of an error function that measures how bad the data fit the model we have a measure that tells us how well the data fit :

$$Error(D, \theta) = -P(D | \theta)$$



Maximum likelihood (ML) estimate.

Likelihood of data:

$$P(D | \theta, \xi) = \prod_{i=1}^n \theta^{x_i} (1 - \theta)^{(1-x_i)}$$



Maximum likelihood estimate

$$\theta_{ML} = \arg \max_{\theta} P(D | \theta, \xi)$$

Optimize log-likelihood (the same as maximizing likelihood)

$$\begin{aligned} l(D, \theta) &= \log P(D | \theta, \xi) = \log \prod_{i=1}^n \theta^{x_i} (1 - \theta)^{(1-x_i)} = \\ &= \sum_{i=1}^n x_i \log \theta + (1 - x_i) \log(1 - \theta) = \log \theta \underbrace{\sum_{i=1}^n x_i}_{N_1} + \log(1 - \theta) \underbrace{\sum_{i=1}^n (1 - x_i)}_{N_2} \end{aligned}$$

N_1 - number of heads seen N_2 - number of tails seen

Maximum likelihood (ML) estimate.

Optimize log-likelihood

$$l(D, \theta) = N_1 \log \theta + N_2 \log(1 - \theta)$$



Set derivative to zero

$$\frac{\partial l(D, \theta)}{\partial \theta} = \frac{N_1}{\theta} - \frac{N_2}{(1 - \theta)} = 0$$

Solving

$$\theta = \frac{N_1}{N_1 + N_2}$$

$$\text{ML Solution: } \theta_{ML} = \frac{N_1}{N} = \frac{N_1}{N_1 + N_2}$$

Maximum likelihood estimate. Example

- **Assume** the unknown and possibly biased coin
- Probability of the head is θ



- **Data:**

H H T T H H T H T H T T T H T H H H H T H H H H T

– **Heads:** 15

– **Tails:** 10

What is the ML estimate of the probability of a head and a tail?

Maximum likelihood estimate. Example

- Assume the unknown and possibly biased coin
- Probability of the head is θ



- **Data:**

H H T T H H T H T H T T T H T H H H H T H H H H T

– **Heads:** 15

– **Tails:** 10

What is the ML estimate of the probability of head and tail ?

Head: $\theta_{ML} = \frac{N_1}{N} = \frac{N_1}{N_1 + N_2} = \frac{15}{25} = 0.6$

Tail: $(1 - \theta_{ML}) = \frac{N_2}{N} = \frac{N_2}{N_1 + N_2} = \frac{10}{25} = 0.4$